



# Philips TownGuide Performer – flexible, modern designs for every application need

## TownGuide Performer

The TownGuide Performer family consists of six recognizable, yet modern shapes: Flat Cone, Bowl, Classic Cone, Classic T, T and Tzero. Each luminaire has the option of a clear (PCC), translucent (PCTR) or frosted (PCF) bowl (except Tzero, which is only available with a clear bowl). With an extensive range of lumen packages, neutral white or warm white LED light sources, and a range of dedicated optics for lower mounting heights, it's easy to select the version that best suits the specific requirements of your project. All this combined with a long life expectancy of 100,000 operating hours. In addition, TownGuide Performer has a variety of control system options that can make this luminaire an integral part of smart energy-reduction programs. This includes LumiStep, DynaDimmer, and LineSwitch stand-alone dim control, and Coded Mains group control, right up to seamless remote connectivity with Interact lighting management software. Installation is easy. Thanks to the bayonet whistle connector with integrated gland located in the spigot, there's no need to open the luminaire for installation. The Signify Service tag app offers direct access to all relevant data, ensuring maintenance is easy too. Philips has made every effort to make the Total Cost of Ownership (TCO) of the luminaire as attractive as possible. And as TownGuide Performer is a dedicated LED luminaire, compatible with a variety of control systems, there are significant energy and maintenance cost savings compared with conventional lighting.

# TownGuide Performer

## Benefits

- Choice of LED light sources, light colors (2700K, 3000K, 4000K) and optics
- Significant energy and carbon savings compared to HPL mercury, SON-T and PL-L compact fluorescent lamps (up to 80% with CLO and/or dimming options)
- Minimum Total Cost of Ownership
- Long lifetime: 100,000 hours from L80 up to L98 (depending on configuration and light color)
- Easy installation: no need to open luminaire with bayonet whistle connector

## Features

- Six designs that blend in with, and enhance, their surroundings
- New installations or one-to-one replacements
- Dedicated lumen packages (1,200 to 12,000 lm)
- 3 bowl finishes: clear (highest performance), frosted (smooth atmosphere), translucent (enhanced visual comfort)
- 5-year standard warranty, extended warranties or lifecycle services available
- Service tag for easy installation and maintenance.

## Application

- Residential areas: residential streets, cycle paths and footpaths, roundabouts, squares, parks and playgrounds, parking areas
- City centers: side streets, squares, parks and playgrounds, cycle paths and footpaths, parking areas, roundabouts, shopping and pedestrian areas
- Area and Transportation: industrial areas, parking areas, petrol stations, airports, harbors, public transport areas
- Sports: parking areas, connecting footpaths

## Versions



OPPR BDP100i 0021



OPPR BDP100i 0001



BDP104 TownGuide Performer T, frosted

# TownGuide Performer

## Dimensional drawing

## Product details



OPDP\_BDP100i\_0011-Detail  
photo



OPDP\_BDP100i\_0001-Detail  
photo

# TownGuide Performer

## Product details

OPDP\_BDP100i\_0003-Detail  
photo



OPDP\_BDP100i\_0007-Detail  
photo



OPDP\_BDP100i\_0009-Detail  
photo



TownGuide Performer BDP101  
pedestrian luminaire with clear  
bowl



TownGuide Performer BDP102  
pedestrian luminaire with frosted  
bowl



TownGuide\_Performe-  
BDP100\_105-DPP.TIF

### General Information

CE mark	Yes
Driver included	Yes
Flammability mark	-
Light source replaceable	Yes
Number of gear units	1 unit
Service tag	Yes

### Light Technical

Standard tilt angle side entry	-
Standard tilt angle posttop	0°

### Approval and Application

Mech. impact protection code	IK10
Ingress protection code	IP66

### General Information

Order Code	Full Product Name	Glow-wire test	Lamp family code	Product family code
910925863304	BDP105 LED70/740 DS PCC GR D9 62P	Temperature 650 °C, duration 5 s	LED70	BDP105
910925866477	BDP105 LED60/740 DW PCC SI 62P	-	LED60	BDP105
910925866625	BDP105 LED50/830 II DW PCC GR 62P	-	LED50	BDP105
910925866626	BDP105 LED70/830 II DW PCC GR 62P	-	LED70	BDP104
910925866627	BDP105 LED70/830 II DS PCC GR 62P	-	LED70	BDP105
910500991009	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	Temperature 650 °C, duration 5 s	LED30	BDP100
910500991010	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	Temperature 650 °C, duration 5 s	LED40	BDP100
910500991056	BDP100 LED40/740 II DW PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP100

Order Code	Full Product Name	Glow-wire test	Lamp family code	Product family code
910500991057	BDP100 LED50/740 II DW PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP100
910500991058	BDP100 LED60/740 II DW PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP100
910500991062	BDP100 LED40/740 II DS PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP100
910500991063	BDP100 LED50/740 II DS PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP100
910500991064	BDP100 LED60/740 II DS PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP100
910500991068	BDP100 LED40/830 II DW PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP100
910500991069	BDP100 LED50/830 II DW PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP100
910500991070	BDP100 LED60/830 II DW PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP100
910500991074	BDP100 LED40/830 II DS PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP100
910500991075	BDP100 LED50/830 II DS PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP100
910500991076	BDP100 LED60/830 II DS PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP100
910500991164	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	Temperature 650 °C, duration 5 s	LED30	BDP100
910925452181	BDP100 LED40/740 DS PCC GR DDF27 62P	-	LED40	BDP100
910925452182	BDP100 LED80/740 DS PCC GR DDF27 62P	-	LED80	BDP100
910925863295	BDP100 LED70/740 DS PCC GR D9 62P	Temperature 650 °C, duration 5 s	LED70	BDP100
910925866272	BDP100 LED40/830 II DW PCC GR 62P	-	LED40	BDP100
910925866276	BDP100 LED40/740 II DW PCC GR 62P	-	LED40	BDP100
910925866277	BDP100 LED50/740 II DW PCC GR 62P	-	LED50	BDP100
910925866278	BDP100 LED70/740 II DW PCC GR 62P	-	LED70	BDP100
910925866282	BDP100 LED30/740 II DS PCC GR 62P	-	LED30	BDP100
910925866283	BDP100 LED50/740 II DS PCC GR 62P	-	LED50	BDP100
910925866284	BDP100 LED70/740 II DS PCC GR 62P	-	LED70	BDP100
910925866288	BDP100 LED50/830 II DW PCC GR 62P	-	LED50	BDP100
910925866289	BDP100 LED70/830 II DW PCC GR 62P	-	LED70	BDP100
910925866293	BDP100 LED30/830 II DS PCC GR 62P	-	LED30	BDP100
910925866294	BDP100 LED50/830 II DS PCC GR 62P	-	LED50	BDP100
910925866295	BDP100 LED70/830 II DS PCC GR 62P	-	LED70	BDP100
910925866302	BDP100 LED40/740 II DS PCC GR 62P	-	LED40	BDP100
910925866303	BDP100 LED40/740 II DW PCC GR MSP 62P	-	LED40	BDP100
910925866305	BDP100 LED50/830 II DS PCC GR MSP 62P	-	LED50	BDP100
910925866487	BDP100 LED60/740 DW PCC SI 62P	-	LED60	BDP100
910925866546	BDP100 LED40/830 DS PCC GR MSP 62P	-	LED40	BDP100

Order Code	Full Product Name	Glow-wire test	Lamp family code	Product family code
910925866547	BDP100 LED40/740 DS PCC GR MSP 62P	-	LED40	BDP100
910925867796	BDP100 LED120/740 II DRW PCC GR-900 D11	-	LED120	BDP100
910925867797	BDP100 LED120/740 II DRW PCC GR-900 D11	-	LED120	BDP100
910925867798	BDP100 LED70/740 II DRW PCC GR-900 D11 5	-	LED70	BDP100
910925867799	BDP100 LED70/740 II DRW PCC GR-900 D11 5	-	LED70	BDP100
910925868057	BDP100 LED40/730 II DW PCC GR 62P	-	LED40	BDP100
910925868060	BDP100 LED50/730 II DS PCC GR 62P	-	LED50	BDP100
910925868063	BDP100 LED50/730 II DW PCC GR 62P	-	LED50	BDP100
910925868066	BDP100 LED70/730 II DS PCC GR 62P	-	LED70	BDP100
910925868067	BDP100 LED70/730 II DW PCC GR 62P	-	LED70	BDP100
910925868095	BDP100 LED40/830 DS PCC ALU 76P	-	LED40	BDP100
910500991011	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	Temperature 650 °C, duration 5 s	LED50	BDP100
910500991060	BDP100 LED50/740 II DW PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP100
910500991061	BDP100 LED60/740 II DW PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP100
910500991065	BDP100 LED40/740 II DS PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP100
910500991066	BDP100 LED50/740 II DS PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP100
910500991067	BDP100 LED60/740 II DS PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP100
910500991071	BDP100 LED40/830 II DW PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP100
910500991072	BDP100 LED50/830 II DW PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP100
910500991073	BDP100 LED60/830 II DW PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP100
910500991077	BDP100 LED40/830 II DS PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP100
910500991078	BDP100 LED50/830 II DS PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP100
910500991079	BDP100 LED60/830 II DS PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP100
910500991112	BDP100 LED20/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED20	BDP100
910500991115	BDP100 LED50/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED50	BDP100
910500991117	BDP100 LED100/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED100	BDP100
910500991153	BDP100 LED50/740 DW PCF SI 62P	Temperature 650 °C, duration 5 s	LED50	BDP100
910500991190	BDP100 LED30/740 II DS PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED30	BDP100

Order Code	Full Product Name	Glow-wire test	Lamp family code	Product family code
910925439711	BDP100 LED60/740 II DS PCF SI 62P	Temperature 650 °C, duration 5 s	LED60	BDP100
910925439715	BDP100 LED60/830 II DS PCF SI 62P	Temperature 650 °C, duration 5 s	LED60	BDP100
910925866273	BDP100 LED50/830 II DS PCF GR 62P	-	LED50	BDP100
910925866279	BDP100 LED30/740 II DW PCF GR 62P	-	LED30	BDP100
910925866281	BDP100 LED70/740 II DW PCF GR 62P	-	LED70	BDP100
910925866285	BDP100 LED30/740 II DS PCF GR 62P	-	LED30	BDP100
910925866286	BDP100 LED50/740 II DS PCF GR 62P	-	LED50	BDP100
910925866287	BDP100 LED70/740 II DS PCF GR 62P	-	LED70	BDP100
910925866290	BDP100 LED30/830 II DW PCF GR 62P	-	LED30	BDP100
910925866291	BDP100 LED50/830 II DW PCF GR 62P	-	LED50	BDP100
910925866292	BDP100 LED70/830 II DW PCF GR 62P	-	LED70	BDP100
910925866296	BDP100 LED30/830 II DS PCF GR 62P	-	LED30	BDP100
910925866297	BDP100 LED70/830 II DS PCF GR 62P	-	LED70	BDP100
910925866298	BDP100 LED20/830 DS PCF GR 62P	-	LED20	BDP100
910925866299	BDP100 LED30/830 DS PCF GR 62P	-	LED30	BDP100
910925866301	BDP100 LED40/830 DS PCF GR 62P	-	LED40	BDP100
910925866486	BDP100 LED60/740 DW PCF SI 62P	-	LED60	BDP100
910925868223	BDP100 LED70/730 II DM PCTR GR D9 SDM10	-	LED70	BDP100
910500991015	BDP101 LED60/830 II DS PCF SI CLO- DDF2 6	Temperature 650 °C, duration 5 s	LED60	BDP101
910500991121	BDP101 LED30/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED30	BDP101
910500991122	BDP101 LED35/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED35	BDP101
910500991125	BDP101 LED100/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED100	BDP101
910500991214	BDP101 LED20/830 II DW PCF SI LS-8 62P	Temperature 650 °C, duration 5 s	LED20	BDP101
910500991216	BDP101 LED35/830 II DW PCF SI LS-8 62P	Temperature 650 °C, duration 5 s	LED35	BDP101
910500991218	BDP101 LED60/830 II DW PCF SI LS-8 62P	Temperature 650 °C, duration 5 s	LED60	BDP101
910500991226	BDP101 LED60/830 II DW PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP101
910500991228	BDP101 LED60/830 II DS PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP101
910500991230	BDP101 LED40/830 II DM PCF SI 6 62P	Temperature 650 °C, duration 5 s	LED40	BDP101
910500991231	BDP101 LED40/740 II DM PCF SI 6 62P	Temperature 650 °C, duration 5 s	LED40	BDP101
910925439673	BDP101 LED40/830 II DS PCF SI 6 62P	Temperature 650 °C, duration 5 s	LED40	BDP101
910925866275	BDP101 LED50/830 II DS PCF GR 62P	-	LED50	BDP101
910925866484	BDP101 LED60/740 DW PCF SI 62P	-	LED60	BDP101
910500991014	BDP101 LED60/830 II DM PCC SI CLO- DDF2 6	Temperature 650 °C, duration 5 s	LED60	BDP101
910925866274	BDP101 LED40/830 II DW PCC GR 62P	-	LED40	BDP101

Order Code	Full Product Name	Glow-wire test	Lamp family code	Product family code
910925866304	BDP101 LED40/740 II DS PCC GR MSP 62P	-	LED40	BDP101
910925866485	BDP101 LED60/740 DW PCC SI 62P	-	LED60	BDP101
910500991021	BDP102 LED40/830 II DW PCC SI CLO- DDF1 6	Temperature 650 °C, duration 5 s	LED40	BDP102
910500991080	BDP102 LED40/740 II DW PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP102
910500991081	BDP102 LED50/740 II DW PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP102
910500991082	BDP102 LED60/740 II DW PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP102
910500991086	BDP102 LED40/740 II DS PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP102
910500991087	BDP102 LED50/740 II DS PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP102
910500991088	BDP102 LED60/740 II DS PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP102
910500991092	BDP102 LED40/830 II DW PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP102
910500991093	BDP102 LED50/830 II DW PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP102
910500991094	BDP102 LED60/830 II DW PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP102
910500991098	BDP102 LED40/830 II DS PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP102
910500991099	BDP102 LED50/830 II DS PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP102
910500991101	BDP102 LED60/830 II DS PCC SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP102
910500991210	BDP102 LED50/830 DS PCC GR MSP 62P	Temperature 650 °C, duration 5 s	LED50	BDP102
910500991211	BDP102 LED50/830 DM PCC GR MSP 62P	Temperature 650 °C, duration 5 s	LED50	BDP102
910500991212	BDP102 LED50/740 DS PCC GR MSP 62P	Temperature 650 °C, duration 5 s	LED50	BDP102
910500991213	BDP102 LED50/740 DM PCC GR MSP 62P	Temperature 650 °C, duration 5 s	LED50	BDP102
910925863297	BDP102 LED70/740 DRW PCC GR D9 62P	Temperature 650 °C, duration 5 s	LED70	BDP102
910925866483	BDP102 LED60/740 DW PCC SI 62P	-	LED60	BDP102
910925866548	BDP102 LED50/830 DS PCC GR MSP 62P	-	LED50	BDP102
910925866549	BDP102 LED50/830 DM PCC GR MSP 62P	-	LED50	BDP102
910925866550	BDP102 LED50/740 DS PCC GR MSP 62P	-	LED50	BDP102
910925866551	BDP102 LED50/740 DM PCC GR MSP 62P	-	LED50	BDP102
910500991023	BDP102 LED50/830 II DS PCF SI CLO- DDF1 6	Temperature 650 °C, duration 5 s	LED50	BDP102



Order Code	Full Product Name	Glow-wire test	Lamp family code	Product family code
910500991083	BDP102 LED40/740 II DW PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP102
910500991084	BDP102 LED50/740 II DW PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP102
910500991085	BDP102 LED60/740 II DW PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP102
910500991089	BDP102 LED40/740 II DS PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP102
910500991090	BDP102 LED50/740 II DS PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP102
910500991091	BDP102 LED60/740 II DS PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP102
910500991095	BDP102 LED40/830 II DW PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP102
910500991096	BDP102 LED50/830 II DW PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP102
910500991097	BDP102 LED60/830 II DW PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP102
910500991102	BDP102 LED40/830 II DS PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP102
910500991103	BDP102 LED50/830 II DS PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED50	BDP102
910500991104	BDP102 LED60/830 II DS PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED60	BDP102
910500991128	BDP102 LED20/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED20	BDP102
910500991129	BDP102 LED30/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED30	BDP102
910500991130	BDP102 LED35/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED35	BDP102
910500991131	BDP102 LED50/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED50	BDP102
910500991132	BDP102 LED70/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED70	BDP102
910500991220	BDP102 LED20/830 II DW PCF SI LS-8 62P	Temperature 650 °C, duration 5 s	LED20	BDP102
910500991221	BDP102 LED20/830 II DW PCF SI 62P	Temperature 650 °C, duration 5 s	LED20	BDP102
910500991222	BDP102 LED35/830 II DW PCF SI LS-8 62P	Temperature 650 °C, duration 5 s	LED35	BDP102
910500991223	BDP102 LED35/830 II DW PCF SI 62P	Temperature 650 °C, duration 5 s	LED35	BDP102
910500991224	BDP102 LED60/830 II DW PCF SI LS-8 62P	Temperature 650 °C, duration 5 s	LED60	BDP102
910500991232	BDP102 LED40/830 II DM PCF SI 6 62P	Temperature 650 °C, duration 5 s	LED40	BDP102
910500991233	BDP102 LED40/740 II DM PCF SI 6 62P	Temperature 650 °C, duration 5 s	LED40	BDP102
910925439676	BDP102 LED40/740 II DS PCF SI 6 62P	Temperature 650 °C, duration 5 s	LED40	BDP102

Order Code	Full Product Name	Glow-wire test	Lamp family code	Product family code
910925439714	BDP102 LED60/740 II DS PCF SI 62P	Temperature 650 °C, duration 5 s	LED60	BDP102
910925866482	BDP102 LED60/740 DW PCF SI 62P	-	LED60	BDP102
910925868224	BDP102 LED25/740 DRW PCTR GR CLO- DDF2 D1	-	LED25	BDP102
910500991136	BDP103 LED20/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED20	BDP103
910500991138	BDP103 LED35/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED35	BDP103
910500991139	BDP103 LED50/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED50	BDP103
910500991142	BDP103 LED120/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED120	BDP103
910925866480	BDP103 LED60/740 DW PCF SI 62P	-	LED60	BDP103
910925863301	BDP103 LED70/740 DS PCC GR D9 62P	Temperature 650 °C, duration 5 s	LED70	BDP103
910925866471	BDP103 LED15/740 II DRW PCC GR 62P	-	LED15	BDP103
910925866472	BDP103 LED15/740 II DRW PCC GR 76P	-	LED15	BDP103
910925866473	BDP103 LED25/740 II DRW PCC GR 62P	-	LED25	BDP103
910925866474	BDP103 LED25/740 II DRW PCC GR 76P	-	LED25	BDP103
910925866481	BDP103 LED60/740 DW PCC SI 62P	-	LED60	BDP103
910925866624	BDP103 LED70/830 II DW PCC GR 62P	-	LED70	BDP103
910500991024	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	Temperature 650 °C, duration 5 s	LED30	BDP104
910925863302	BDP104 LED70/740 DRW PCC GR D9 62P	Temperature 650 °C, duration 5 s	LED70	BDP104
910925866479	BDP104 LED60/740 DW PCC SI 62P	-	LED60	BDP104
910500991025	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	Temperature 650 °C, duration 5 s	LED40	BDP104
910500991059	BDP100 LED40/740 II DW PCF SI LS-6 62P	Temperature 650 °C, duration 5 s	LED40	BDP100
910500991147	BDP104 LED50/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED50	BDP104
910500991149	BDP104 LED100/830 DW PCF SI CLO 62P	Temperature 650 °C, duration 5 s	LED100	BDP104
910925866478	BDP104 LED60/740 DW PCF SI 62P	-	LED60	BDP104

Light Technical (1/2)

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color		Optical cover type	Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color		Optical cover type
				Temperature (Nom)	Optical cover type						Temperature (Nom)	Optical cover type	
910925863304	BDP105 LED70/740 DS PCC GR D9 62P	75°	740 neutral white	4000 K	Polycarbonate bowl/cover clear	910925866625	BDP105 LED50/830 II DW PCC GR 62P	50° x 70°	830 warm white	3000 K	Polycarbonate bowl/cover clear		
910925866477	BDP105 LED60/740 DW PCC SI 62P	50° x 70°	740 neutral white	4000 K	Polycarbonate bowl/cover clear	910925866626	BDP105 LED70/830 II	50° x 70°	830 warm white	3000 K	Polycarbonate bowl/cover clear		

## TownGuide Performer

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color	
				Temperature (Nom)	Optical cover type
	DW PCC GR 62P				
910925866627	BDP105	75°	830	3000 K	Polycarbonate bowl/cover clear
	LED70/830 II		warm		
	DS PCC GR 62P		white		
910500991009	BDP100	32° x 29°	740	4000 K	Polycarbonate bowl/cover clear
	LED30/740 DN		neutral		
	PCC SI CLO-LS-6 76P		white		
910500991010	BDP100	53° x 71°	830	3000 K	Polycarbonate bowl/cover clear
	LED40/830 II		warm		
	DM PCC SI CLO-LS-6 6		white		
910500991056	BDP100	50° x 70°	740	4000 K	Polycarbonate bowl/cover clear
	LED40/740 II		neutral		
	DW PCC SI LS-6 62P		white		
910500991057	BDP100	50° x 70°	740	4000 K	Polycarbonate bowl/cover clear
	LED50/740 II		neutral		
	DW PCC SI LS-6 62P		white		
910500991058	BDP100	50° x 70°	740	4000 K	Polycarbonate bowl/cover clear
	LED60/740 II		neutral		
	DW PCC SI LS-6 62P		white		
910500991062	BDP100	75°	740	4000 K	Polycarbonate bowl/cover clear
	LED40/740 II		neutral		
	DS PCC SI LS-6 62P		white		
910500991063	BDP100	75°	740	4000 K	Polycarbonate bowl/cover clear
	LED50/740 II		neutral		
	DS PCC SI LS-6 62P		white		
910500991064	BDP100	75°	740	4000 K	Polycarbonate bowl/cover clear
	LED60/740 II		neutral		
	DS PCC SI LS-6 62P		white		
910500991068	BDP100	50° x 70°	830	3000 K	Polycarbonate bowl/cover clear
	LED40/830 II		warm		
	DW PCC SI LS-6 62P		white		
910500991069	BDP100	50° x 70°	830	3000 K	Polycarbonate bowl/cover clear
	LED50/830 II		warm		
	DW PCC SI LS-6 62P		white		
910500991070	BDP100	50° x 70°	830	3000 K	Polycarbonate bowl/cover clear
	LED60/830 II		warm		
	DW PCC SI LS-6 62P		white		

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color	
				Temperature (Nom)	Optical cover type
910500991074	BDP100	75°	830	3000 K	Polycarbonate bowl/cover clear
	LED40/830 II		warm		
	DS PCC SI LS-6 62P		white		
910500991075	BDP100	75°	830	3000 K	Polycarbonate bowl/cover clear
	LED50/830 II		warm		
	DS PCC SI LS-6 62P		white		
910500991076	BDP100	75°	830	3000 K	Polycarbonate bowl/cover clear
	LED60/830 II		warm		
	DS PCC SI LS-6 62P		white		
910500991164	BDP100	53° x 71°	740	4000 K	Polycarbonate bowl/cover clear
	LED30/740 DM		neutral		
	PCC SI CLO-DDF1 76P		white		
910925452181	BDP100	75°	740	4000 K	Polycarbonate bowl/cover clear
	LED40/740 DS		neutral		
	PCC GR DDF27 62P		white		
910925452182	BDP100	75°	740	4000 K	Polycarbonate bowl/cover clear
	LED80/740 DS		neutral		
	PCC GR DDF27 62P		white		
910925863295	BDP100	75°	740	4000 K	Polycarbonate bowl/cover clear
	LED70/740 DS		neutral		
	PCC GR D9 62P		white		
910925866272	BDP100	50° x 70°	830	3000 K	Polycarbonate bowl/cover clear
	LED40/830 II		warm		
	DW PCC GR 62P		white		
910925866276	BDP100	50° x 70°	740	4000 K	Polycarbonate bowl/cover clear
	LED40/740 II		neutral		
	DW PCC GR 62P		white		
910925866277	BDP100	50° x 70°	740	4000 K	Polycarbonate bowl/cover clear
	LED50/740 II		neutral		
	DW PCC GR 62P		white		
910925866278	BDP100	50° x 70°	740	4000 K	Polycarbonate bowl/cover clear
	LED70/740 II		neutral		
	DW PCC GR 62P		white		
910925866282	BDP100	75°	740	4000 K	Polycarbonate bowl/cover clear
	LED30/740 II		neutral		
	DS PCC GR 62P		white		

# TownGuide Performer

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color	
				Temperature (Nom)	Optical cover type
910925866283	BDP100 LED50/740 II DS PCC GR 62P	75°	740	4000 K	Polycarbonate bowl/cover clear
910925866284	BDP100 LED70/740 II DS PCC GR 62P	75°	740	4000 K	Polycarbonate bowl/cover clear
910925866288	BDP100 LED50/830 II DW PCC GR 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover clear
910925866289	BDP100 LED70/830 II DW PCC GR 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover clear
910925866293	BDP100 LED30/830 II DS PCC GR 62P	75°	830	3000 K	Polycarbonate bowl/cover clear
910925866294	BDP100 LED50/830 II DS PCC GR 62P	75°	830	3000 K	Polycarbonate bowl/cover clear
910925866295	BDP100 LED70/830 II DS PCC GR 62P	75°	830	3000 K	Polycarbonate bowl/cover clear
910925866302	BDP100 LED40/740 II DS PCC GR 62P	75°	740	4000 K	Polycarbonate bowl/cover clear
910925866303	BDP100 LED40/740 II DW PCC GR MSP 62P	50° x 70°	740	4000 K	Polycarbonate bowl/cover clear
910925866305	BDP100 LED50/830 II DS PCC GR MSP 62P	75°	830	3000 K	Polycarbonate bowl/cover clear
910925866487	BDP100 LED60/740 DW PCC SI 62P	50° x 70°	740	4000 K	Polycarbonate bowl/cover frosted
910925866546	BDP100 LED40/830 DS PCC GR MSP 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910925866547	BDP100 LED40/740 DS PCC GR MSP 62P	75°	740	4000 K	Polycarbonate bowl/cover frosted
910925867796	BDP100 LED120/740 II DRW PCC GR-900 D11	39° x 96°	740	4000 K	Polycarbonate bowl/cover clear

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color	
				Temperature (Nom)	Optical cover type
910925867797	BDP100 LED120/740 II DRW PCC GR-900 D11	39° x 96°	740	4000 K	Polycarbonate bowl/cover clear
910925867798	BDP100 LED70/740 II DRW PCC GR-900 D11 5	39° x 96°	740	4000 K	Polycarbonate bowl/cover clear
910925867799	BDP100 LED70/740 II DRW PCC GR-900 D11 5	39° x 96°	740	4000 K	Polycarbonate bowl/cover clear
910925868057	BDP100 LED40/730 II DW PCC GR 62P	50° x 70°	730	3000 K	Polycarbonate bowl/cover clear
910925868060	BDP100 LED50/730 II DS PCC GR 62P	50° x 70°	730	3000 K	Polycarbonate bowl/cover frosted
910925868063	BDP100 LED50/730 II DW PCC GR 62P	50° x 70°	730	3000 K	Polycarbonate bowl/cover frosted
910925868066	BDP100 LED70/730 II DS PCC GR 62P	50° x 70°	730	3000 K	Polycarbonate bowl/cover frosted
910925868067	BDP100 LED70/730 II DW PCC GR 62P	50° x 70°	730	3000 K	Polycarbonate bowl/cover frosted
910925868095	BDP100 LED40/830 DS PCC ALU 76P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910500991011	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	75°	830	3000 K	Polycarbonate bowl/cover frosted
910500991060	BDP100 LED50/740 II DW PCF SI LS-6 62P	50° x 70°	740	4000 K	Polycarbonate bowl/cover frosted
910500991061	BDP100 LED60/740 II DW PCF SI LS-6 62P	50° x 70°	740	4000 K	Polycarbonate bowl/cover frosted
910500991065	BDP100 LED40/740 II DS PCF SI LS-6 62P	75°	740	4000 K	Polycarbonate bowl/cover frosted

## TownGuide Performer

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color	
				Temperature (Nom)	Optical cover type
910500991066	BDP100 LED50/740 II DS PCF SI LS-6 62P	75°	740	4000 K	Polycarbonate bowl/cover frosted
910500991067	BDP100 LED60/740 II DS PCF SI LS-6 62P	75°	840	4000 K	Polycarbonate bowl/cover frosted
910500991071	BDP100 LED40/830 II DW PCF SI LS-6 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991072	BDP100 LED50/830 II DW PCF SI LS-6 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991073	BDP100 LED60/830 II DW PCF SI LS-6 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991077	BDP100 LED40/830 II DS PCF SI LS-6 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910500991078	BDP100 LED50/830 II DS PCF SI LS-6 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910500991079	BDP100 LED60/830 II DS PCF SI LS-6 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910500991112	BDP100 LED20/830 DW PCF SI CLO 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991115	BDP100 LED50/830 DW PCF SI CLO 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991117	BDP100 LED100/830 DW PCF SI CLO 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991153	BDP100 LED50/740 DW PCF SI 62P	50° x 70°	740	4000 K	Polycarbonate bowl/cover frosted

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color	
				Temperature (Nom)	Optical cover type
910500991190	BDP100 LED30/740 II DS PCF SI CLO 62P	75°	740	4000 K	Polycarbonate bowl/cover frosted
910925439711	BDP100 LED60/740 II DS PCF SI 62P	75°	740	4000 K	Polycarbonate bowl/cover frosted
910925439715	BDP100 LED60/830 II DS PCF SI 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910925866273	BDP100 LED50/830 II DS PCF GR 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910925866279	BDP100 LED30/740 II DW PCF GR 62P	50° x 70°	740	4000 K	Polycarbonate bowl/cover frosted
910925866281	BDP100 LED70/740 II DW PCF GR 62P	50° x 70°	740	4000 K	Polycarbonate bowl/cover frosted
910925866285	BDP100 LED30/740 II DS PCF GR 62P	75°	740	4000 K	Polycarbonate bowl/cover frosted
910925866286	BDP100 LED50/740 II DS PCF GR 62P	75°	740	4000 K	Polycarbonate bowl/cover frosted
910925866287	BDP100 LED70/740 II DS PCF GR 62P	75°	740	4000 K	Polycarbonate bowl/cover frosted
910925866290	BDP100 LED30/830 II DW PCF GR 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910925866291	BDP100 LED50/830 II DW PCF GR 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910925866292	BDP100 LED70/830 II DW PCF GR 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910925866296	BDP100 LED30/830 II DS PCF GR 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910925866297	BDP100 LED70/830 II DS PCF GR 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted

## TownGuide Performer

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color	
				Temperature (Nom)	Optical cover type
910925866298	BDP100 LED20/830 DS PCF GR 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910925866299	BDP100 LED30/830 DS PCF GR 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910925866301	BDP100 LED40/830 DS PCF GR 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910925866486	BDP100 LED60/740 DW PCF SI 62P	50° x 70°	740	4000 K	Polycarbonate bowl/cover frosted
910925868223	BDP100 LED70/730 II DM PCTR GR D9 SDM10	53° x 71°	730	3000 K	Polycarbonate bowl/cover frosted
910500991015	BDP101 LED60/830 II DS PCF SI CLO-DDF2 6	75°	830	3000 K	Polycarbonate bowl/cover frosted
910500991121	BDP101 LED30/830 DW PCF SI CLO 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991122	BDP101 LED35/830 DW PCF SI CLO 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991125	BDP101 LED100/830 DW PCF SI CLO 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991214	BDP101 LED20/830 II DW PCF SI LS-8 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991216	BDP101 LED35/830 II DW PCF SI LS-8 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991218	BDP101 LED60/830 II DW PCF SI LS-8 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991226	BDP101 LED60/830 II DW PCF SI LS-6 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color	
				Temperature (Nom)	Optical cover type
910500991228	BDP101 LED60/830 II DS PCF SI LS-6 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910500991230	BDP101 LED40/830 II DM PCF SI 6 62P	53° x 71°	830	3000 K	Polycarbonate bowl/cover frosted
910500991231	BDP101 LED40/740 II DM PCF SI 6 62P	53° x 71°	740	4000 K	Polycarbonate bowl/cover frosted
910925439673	BDP101 LED40/830 II DS PCF SI 6 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910925866275	BDP101 LED50/830 II DS PCF GR 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910925866484	BDP101 LED60/740 DW PCF SI 62P	50° x 70°	740	4000 K	Polycarbonate bowl/cover frosted
910500991014	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	53° x 71°	830	3000 K	Polycarbonate bowl/cover clear
910925866274	BDP101 LED40/830 II DW PCC GR 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover clear
910925866304	BDP101 LED40/740 II DS PCC GR MSP 62P	75°	740	4000 K	Polycarbonate bowl/cover clear
910925866485	BDP101 LED60/740 DW PCC SI 62P	50° x 70°	740	4000 K	Polycarbonate bowl/cover frosted
910500991021	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	50° x 70°	830	3000 K	Polycarbonate bowl/cover clear
910500991080	BDP102 LED40/740 II DW PCC SI LS-6 62P	50° x 70°	740	4000 K	Polycarbonate bowl/cover clear
910500991081	BDP102 LED50/740 II DW PCC SI LS-6 62P	50° x 70°	740	4000 K	Polycarbonate bowl/cover clear

## TownGuide Performer

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color	
				Temperature (Nom)	Optical cover type
910500991082	BDP102	50° x 70°	740	4000 K	Polycarbonate
	LED60/740 II				bowl/cover
	DW PCC SI				clear
	LS-6 62P				
910500991086	BDP102	75°	740	4000 K	Polycarbonate
	LED40/740 II				bowl/cover
	DS PCC SI LS-6 62P				clear
910500991087	BDP102	75°	740	4000 K	Polycarbonate
	LED50/740 II				bowl/cover
	DS PCC SI LS-6 62P				clear
910500991088	BDP102	75°	740	4000 K	Polycarbonate
	LED60/740 II				bowl/cover
	DS PCC SI LS-6 62P				clear
910500991092	BDP102	50° x 70°	830	3000 K	Polycarbonate
	LED40/830 II				bowl/cover
	DW PCC SI				clear
	LS-6 62P				
910500991093	BDP102	50° x 70°	830	3000 K	Polycarbonate
	LED50/830 II				bowl/cover
	DW PCC SI				clear
	LS-6 62P				
910500991094	BDP102	50° x 70°	830	3000 K	Polycarbonate
	LED60/830 II				bowl/cover
	DW PCC SI				clear
	LS-6 62P				
910500991098	BDP102	75°	830	3000 K	Polycarbonate
	LED40/830 II				bowl/cover
	DS PCC SI LS-6 62P				clear
910500991099	BDP102	75°	830	3000 K	Polycarbonate
	LED50/830 II				bowl/cover
	DS PCC SI LS-6 62P				clear
910500991101	BDP102	75°	830	3000 K	Polycarbonate
	LED60/830 II				bowl/cover
	DS PCC SI LS-6 62P				clear
910500991210	BDP102	75°	830	3000 K	Polycarbonate
	LED50/830 DS				bowl/cover
	PCC GR MSP 62P				clear
910500991211	BDP102	53° x 71°	830	3000 K	Polycarbonate
	LED50/830 DM				bowl/cover
	PCC GR MSP 62P				clear

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color	
				Temperature (Nom)	Optical cover type
910500991212	BDP102	75°	740	4000 K	Polycarbonate
	LED50/740 DS				bowl/cover
	PCC GR MSP 62P				clear
910500991213	BDP102	53° x 71°	740	4000 K	Polycarbonate
	LED50/740 DM				bowl/cover
	PCC GR MSP 62P				clear
910925863297	BDP102	39° x 96°	740	4000 K	Polycarbonate
	LED70/740				bowl/cover
	DRW PCC GR D9 62P				clear
910925866483	BDP102	50° x 70°	740	4000 K	Polycarbonate
	LED60/740				bowl/cover
	DW PCC SI 62P				frosted
910925866548	BDP102	75°	830	3000 K	Polycarbonate
	LED50/830 DS				bowl/cover
	PCC GR MSP 62P				frosted
910925866549	BDP102	53° x 71°	830	3000 K	Polycarbonate
	LED50/830 DM				bowl/cover
	PCC GR MSP 62P				frosted
910925866550	BDP102	75°	740	4000 K	Polycarbonate
	LED50/740 DS				bowl/cover
	PCC GR MSP 62P				frosted
910925866551	BDP102	53° x 71°	740	4000 K	Polycarbonate
	LED50/740 DM				bowl/cover
	PCC GR MSP 62P				frosted
910500991023	BDP102	75°	830	3000 K	Polycarbonate
	LED50/830 II				bowl/cover
	DS PCF SI CLO-DDF1 6				frosted
910500991083	BDP102	50° x 70°	740	4000 K	Polycarbonate
	LED40/740 II				bowl/cover
	DW PCF SI LS-6 62P				frosted
910500991084	BDP102	50° x 70°	740	4000 K	Polycarbonate
	LED50/740 II				bowl/cover
	DW PCF SI LS-6 62P				frosted
910500991085	BDP102	50° x 70°	740	4000 K	Polycarbonate
	LED60/740 II				bowl/cover
	DW PCF SI LS-6 62P				frosted

## TownGuide Performer

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color	
				Temperature (Nom)	Optical cover type
910500991089	BDP102 LED40/740 II DS PCF SI LS-6 62P	75°	740	4000 K	Polycarbonate bowl/cover frosted
910500991090	BDP102 LED50/740 II DS PCF SI LS-6 62P	75°	740	4000 K	Polycarbonate bowl/cover frosted
910500991091	BDP102 LED60/740 II DS PCF SI LS-6 62P	75°	740	4000 K	Polycarbonate bowl/cover frosted
910500991095	BDP102 LED40/830 II DW PCF SI LS-6 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991096	BDP102 LED50/830 II DW PCF SI LS-6 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991097	BDP102 LED60/830 II DW PCF SI LS-6 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991102	BDP102 LED40/830 II DS PCF SI LS-6 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910500991103	BDP102 LED50/830 II DS PCF SI LS-6 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910500991104	BDP102 LED60/830 II DS PCF SI LS-6 62P	75°	830	3000 K	Polycarbonate bowl/cover frosted
910500991128	BDP102 LED20/830 DW PCF SI CLO 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991129	BDP102 LED30/830 DW PCF SI CLO 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991130	BDP102 LED35/830 DW PCF SI CLO 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color	
				Temperature (Nom)	Optical cover type
910500991131	BDP102 LED50/830 DW PCF SI CLO 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991132	BDP102 LED70/830 DW PCF SI CLO 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991220	BDP102 LED20/830 II DW PCF SI LS-8 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991221	BDP102 LED20/830 II DW PCF SI 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991222	BDP102 LED35/830 II DW PCF SI LS-8 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991223	BDP102 LED35/830 II DW PCF SI 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991224	BDP102 LED60/830 II DW PCF SI LS-8 62P	50° x 70°	830	3000 K	Polycarbonate bowl/cover frosted
910500991232	BDP102 LED40/830 II DM PCF SI 6 62P	53° x 71°	830	3000 K	Polycarbonate bowl/cover frosted
910500991233	BDP102 LED40/740 II DM PCF SI 6 62P	53° x 71°	740	4000 K	Polycarbonate bowl/cover frosted
910925439676	BDP102 LED40/740 II DS PCF SI 6 62P	75°	740	4000 K	Polycarbonate bowl/cover frosted
910925439714	BDP102 LED60/740 II DS PCF SI 62P	75°	840	4000 K	Polycarbonate bowl/cover frosted
910925866482	BDP102 LED60/740 DW PCF SI 62P	50° x 70°	740	4000 K	Polycarbonate bowl/cover frosted
910925868224	BDP102 LED25/740 DRW PCTR GR CLO-DDF2 D1	39° x 96°	740	4000 K	Polycarbonate bowl/cover frosted



## TownGuide Performer

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color	
				Temperature (Nom)	Optical cover type
910500991136	BDP103 LED20/830 DW PCF SI CLO 62P	50° x 70°	830 warm white	3000 K	Polycarbonate bowl/cover frosted
910500991138	BDP103 LED35/830 DW PCF SI CLO 62P	50° x 70°	830 warm white	3000 K	Polycarbonate bowl/cover frosted
910500991139	BDP103 LED50/830 DW PCF SI CLO 62P	50° x 70°	830 warm white	3000 K	Polycarbonate bowl/cover frosted
910500991142	BDP103 LED120/830 DW PCF SI CLO 62P	50° x 70°	830 warm white	3000 K	Polycarbonate bowl/cover frosted
910925866480	BDP103 LED60/740 DW PCF SI 62P	50° x 70°	740 neutral white	4000 K	Polycarbonate bowl/cover frosted
910925863301	BDP103 LED70/740 DS PCC GR D9 62P	75°	740 neutral white	4000 K	Polycarbonate bowl/cover clear
910925866471	BDP103 LED15/740 II DRW PCC GR 62P	39° x 96°	740 neutral white	4000 K	Polycarbonate bowl/cover frosted
910925866472	BDP103 LED15/740 II DRW PCC GR 76P	39° x 96°	740 neutral white	4000 K	Polycarbonate bowl/cover frosted
910925866473	BDP103 LED25/740 II DRW PCC GR 62P	39° x 96°	740 neutral white	4000 K	Polycarbonate bowl/cover frosted
910925866474	BDP103 LED25/740 II	39° x 96°	740 neutral white	4000 K	Polycarbonate bowl/cover frosted

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Correlated Color	
				Temperature (Nom)	Optical cover type
	DRW PCC GR 76P				
910925866481	BDP103 LED60/740 DW PCC SI 62P	50° x 70°	740 neutral white	4000 K	Polycarbonate bowl/cover frosted
910925866624	BDP103 LED70/830 II DW PCC GR 62P	50° x 70°	830 warm white	3000 K	Polycarbonate bowl/cover clear
910500991024	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	53° x 71°	740 neutral white	4000 K	Polycarbonate bowl/cover clear
910925863302	BDP104 LED70/740 DRW PCC GR D9 62P	39° x 96°	740 neutral white	4000 K	Polycarbonate bowl/cover clear
910925866479	BDP104 LED60/740 DW PCC SI 62P	50° x 70°	740 neutral white	4000 K	Polycarbonate bowl/cover frosted
910500991025	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	75°	830 warm white	3000 K	Polycarbonate bowl/cover frosted
910500991059	BDP100 LED40/740 II DW PCF SI LS-6 62P	50° x 70°	740 neutral white	4000 K	Polycarbonate bowl/cover frosted
910500991147	BDP104 LED50/830 DW PCF SI CLO 62P	50° x 70°	830 warm white	3000 K	Polycarbonate bowl/cover frosted
910500991149	BDP104 LED100/830 DW PCF SI CLO 62P	50° x 70°	830 warm white	3000 K	Polycarbonate bowl/cover frosted
910925866478	BDP104 LED60/740 DW PCF SI 62P	50° x 70°	740 neutral white	4000 K	Polycarbonate bowl/cover frosted

### Light Technical (2/2)

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
910925863304	BDP105 LED70/740	70	4,830 lm	8	Distribution symmetrical	0

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
	DS PCC GR D9 62P					

## TownGuide Performer

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
910925866477	BDP105 LED60/740 DW PCC SI 62P	70	4,020 lm	-	Distribution wide	0
910925866625	BDP105 LED50/830 II DW PCC GR 62P	80	3,400 lm	-	Distribution wide	0
910925866626	BDP105 LED70/830 II DW PCC GR 62P	80	4,620 lm	-	Distribution symmetrical	0
910925866627	BDP105 LED70/830 II DS PCC GR 62P	80	4,830 lm	-	Distribution wide	0
910500991009	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	70	2,291 lm	4	Distribution narrow	3
910500991010	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	80	2,888 lm	4	Distribution medium	3
910500991056	BDP100 LED40/740 II DW PCC SI LS-6 62P	70	3,040 lm	3	Distribution wide	3
910500991057	BDP100 LED50/740 II DW PCC SI LS-6 62P	70	3,750 lm	4	Distribution wide	3
910500991058	BDP100 LED60/740 II DW PCC SI LS-6 62P	70	4,500 lm	4	Distribution wide	3
910500991062	BDP100 LED40/740 II DS PCC SI LS-6 62P	70	3,080 lm	3	Distribution symmetrical	3
910500991063	BDP100 LED50/740 II DS PCC SI LS-6 62P	70	3,800 lm	4	Distribution symmetrical	3
910500991064	BDP100 LED60/740 II DS PCC SI LS-6 62P	70	4,500 lm	4	Distribution symmetrical	3

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
910500991068	BDP100 LED40/830 II DW PCC SI LS-6 62P	80	3,040 lm	3	Distribution wide	3
910500991069	BDP100 LED50/830 II DW PCC SI LS-6 62P	80	3,700 lm	4	Distribution wide	3
910500991070	BDP100 LED60/830 II DW PCC SI LS-6 62P	80	4,500 lm	4	Distribution wide	3
910500991074	BDP100 LED40/830 II DS PCC SI LS-6 62P	80	3,080 lm	3	Distribution symmetrical	3
910500991075	BDP100 LED50/830 II DS PCC SI LS-6 62P	80	3,800 lm	4	Distribution symmetrical	3
910500991076	BDP100 LED60/830 II DS PCC SI LS-6 62P	80	4,500 lm	4	Distribution symmetrical	3
910500991164	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	70	2,204 lm	4	Distribution medium	3
910925452181	BDP100 LED40/740 DS PCC GR DDF27 62P	70	3,080 lm	-	Distribution symmetrical	3
910925452182	BDP100 LED80/740 DS PCC GR DDF27 62P	70	6,000 lm	-	Distribution symmetrical	3
910925863295	BDP100 LED70/740 DS PCC GR D9 62P	70	5,250 lm	8	Distribution symmetrical	3
910925866272	BDP100 LED40/830 II DW PCC GR 62P	80	3,040 lm	-	Distribution wide	3
910925866276	BDP100 LED40/740 II DW PCC GR 62P	70	3,040 lm	-	Distribution wide	3

## TownGuide Performer

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
910925866277	BDP100 LED50/740 II DW PCC GR 62P	70	3,750 lm	-	Distribution wide	3
910925866278	BDP100 LED70/740 II DW PCC GR 62P	70	5,250 lm	-	Distribution wide	3
910925866282	BDP100 LED30/740 II DS PCC GR 62P	70	2,340 lm	-	Distribution symmetrical	3
910925866283	BDP100 LED50/740 II DS PCC GR 62P	70	3,800 lm	-	Distribution symmetrical	3
910925866284	BDP100 LED70/740 II DS PCC GR 62P	70	5,250 lm	-	Distribution symmetrical	3
910925866288	BDP100 LED50/830 II DW PCC GR 62P	80	3,700 lm	-	Distribution wide	3
910925866289	BDP100 LED70/830 II DW PCC GR 62P	80	5,250 lm	-	Distribution wide	3
910925866293	BDP100 LED30/830 II DS PCC GR 62P	80	2,340 lm	-	Distribution symmetrical	3
910925866294	BDP100 LED50/830 II DS PCC GR 62P	80	3,800 lm	-	Distribution symmetrical	3
910925866295	BDP100 LED70/830 II DS PCC GR 62P	80	5,250 lm	-	Distribution symmetrical	3
910925866302	BDP100 LED40/740 II DS PCC GR 62P	70	3,080 lm	-	Distribution symmetrical	3
910925866303	BDP100 LED40/740 II DW PCC GR MSP 62P	70	3,040 lm	-	Distribution wide	3

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
910925866305	BDP100 LED50/830 II DS PCC GR MSP 62P	80	3,800 lm	-	Distribution symmetrical	3
910925866487	BDP100 LED60/740 DW PCC SI 62P	70	4,500 lm	-	Distribution wide	3
910925866546	BDP100 LED40/830 DS PCC GR MSP 62P	80	3,080 lm	-	Distribution symmetrical	3
910925866547	BDP100 LED40/740 DS PCC GR MSP 62P	70	3,080 lm	-	Distribution symmetrical	3
910925867796	BDP100 LED120/740 II DRW PCC GR-900 D11	70	8,400 lm	-	Distribution residential wide	0
910925867797	BDP100 LED120/740 II DRW PCC GR-900 D11	70	8,400 lm	-	Distribution residential wide	0
910925867798	BDP100 LED70/740 II DRW PCC GR-900 D11 5	70	4,690 lm	-	Distribution residential wide	0
910925867799	BDP100 LED70/740 II DRW PCC GR-900 D11 5	70	4,690 lm	-	Distribution residential wide	0
910925868057	BDP100 LED40/730 II DW PCC GR 62P	70	3,040 lm	-	Distribution wide	3
910925868060	BDP100 LED50/730 II DS PCC GR 62P	70	3,700 lm	-	Distribution symmetrical	3
910925868063	BDP100 LED50/730 II DW PCC GR 62P	70	3,700 lm	-	Distribution wide	3
910925868066	BDP100 LED70/730 II DS PCC GR 62P	70	5,250 lm	-	Distribution symmetrical	3

## TownGuide Performer

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
910925868067	BDP100 LED70/730 II DW PCC GR 62P	70	5,250 lm	-	Distribution wide	3
910925868095	BDP100 LED40/830 DS PCC ALU 76P	80	3,080 lm	-	Distribution symmetrical	3
910500991011	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	80	1,862 lm	6	Distribution symmetrical	3
910500991060	BDP100 LED50/740 II DW PCF SI LS-6 62P	70	2,700 lm	4	Distribution wide	3
910500991061	BDP100 LED60/740 II DW PCF SI LS-6 62P	70	3,240 lm	4	Distribution wide	3
910500991065	BDP100 LED40/740 II DS PCF SI LS-6 62P	70	2,280 lm	3	Distribution symmetrical	3
910500991066	BDP100 LED50/740 II DS PCF SI LS-6 62P	70	2,800 lm	4	Distribution symmetrical	3
910500991067	BDP100 LED60/740 II DS PCF SI LS-6 62P	70	3,240 lm	4	Distribution symmetrical	3
910500991071	BDP100 LED40/830 II DW PCF SI LS-6 62P	80	2,160 lm	3	Distribution wide	3
910500991072	BDP100 LED50/830 II DW PCF SI LS-6 62P	80	2,650 lm	4	Distribution wide	3
910500991073	BDP100 LED60/830 II DW PCF SI LS-6 62P	80	3,240 lm	4	Distribution wide	3
910500991077	BDP100 LED40/830 II DS PCF SI LS-6 62P	80	2,280 lm	3	Distribution symmetrical	3

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
910500991078	BDP100 LED50/830 II DS PCF SI LS-6 62P	80	2,800 lm	4	Distribution symmetrical	3
910500991079	BDP100 LED60/830 II DS PCF SI LS-6 62P	80	3,240 lm	4	Distribution symmetrical	3
910500991112	BDP100 LED20/830 DW PCF SI CLO 62P	80	1,160 lm	4	Distribution wide	3
910500991115	BDP100 LED50/830 DW PCF SI CLO 62P	80	2,576 lm	6	Distribution wide	3
910500991117	BDP100 LED100/830 DW PCF SI CLO 62P	80	4,240 lm	6	Distribution wide	3
910500991153	BDP100 LED50/740 DW PCF SI 62P	70	2,700 lm	6	Distribution wide	3
910500991190	BDP100 LED30/740 II DS PCF SI CLO 62P	70	1,250 lm	4	Distribution symmetrical	3
910925439711	BDP100 LED60/740 II DS PCF SI 62P	70	3,240 lm	4	Distribution symmetrical	3
910925439715	BDP100 LED60/830 II DS PCF SI 62P	80	3,240 lm	4	Distribution symmetrical	3
910925866273	BDP100 LED50/830 II DS PCF GR 62P	80	2,800 lm	-	Distribution symmetrical	3
910925866279	BDP100 LED30/740 II DW PCF GR 62P	70	1,650 lm	-	Distribution wide	3
910925866281	BDP100 LED70/740 II DW PCF GR 62P	70	3,780 lm	-	Distribution wide	3
910925866285	BDP100 LED30/740 II	70	1,710 lm	-	Distribution symmetrical	3

# TownGuide Performer

Order Code	Full Product Name	Color rendering		Luminous Flux	Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous				
	DS PCF GR 62P						
910925866286	BDP100 LED50/740 II DS PCF GR 62P	70	2,800 lm	-	Distribution	3 symmetrical	
910925866287	BDP100 LED70/740 II DS PCF GR 62P	70	3,780 lm	-	Distribution	3 symmetrical	
910925866290	BDP100 LED30/830 II DW PCF GR 62P	80	1,650 lm	-	Distribution	3 wide	
910925866291	BDP100 LED50/830 II DW PCF GR 62P	80	2,650 lm	-	Distribution	3 wide	
910925866292	BDP100 LED70/830 II DW PCF GR 62P	80	3,710 lm	-	Distribution	3 wide	
910925866296	BDP100 LED30/830 II DS PCF GR 62P	80	1,710 lm	-	Distribution	3 symmetrical	
910925866297	BDP100 LED70/830 II DS PCF GR 62P	80	3,780 lm	-	Distribution	3 symmetrical	
910925866298	BDP100 LED20/830 DS PCF GR 62P	80	1,160 lm	-	Distribution	3 symmetrical	
910925866299	BDP100 LED30/830 DS PCF GR 62P	80	1,710 lm	-	Distribution	3 symmetrical	
910925866301	BDP100 LED40/830 DS PCF GR 62P	80	2,280 lm	-	Distribution	3 symmetrical	
910925866486	BDP100 LED60/740 DW PCF SI 62P	70	3,240 lm	-	Distribution	3 wide	
910925868223	BDP100 LED70/730 II	73	4,620 lm	-	Distribution	9 medium	

Order Code	Full Product Name	Color rendering		Luminous Flux	Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous				
	DM PCTR GR D9 SDM10						
910500991015	BDP100 LED60/830 II DS PCF SI CLO-DDF2 6	80	2,300 lm	8	Distribution	15 symmetrical	
910500991121	BDP100 LED30/830 DW PCF SI CLO 62P	80	1,798 lm	4	Distribution	15 wide	
910500991122	BDP100 LED35/830 DW PCF SI CLO 62P	80	2,013 lm	4	Distribution	15 wide	
910500991125	BDP100 LED100/830 DW PCF SI CLO 62P	80	4,560 lm	6	Distribution	15 wide	
910500991214	BDP100 LED20/830 II DW PCF SI LS-8 62P	80	1,200 lm	4	Distribution	15 wide	
910500991216	BDP100 LED35/830 II DW PCF SI LS-8 62P	80	2,065 lm	4	Distribution	15 wide	
910500991218	BDP100 LED60/830 II DW PCF SI LS-8 62P	80	3,420 lm	8	Distribution	15 wide	
910500991226	BDP100 LED60/830 II DW PCF SI LS-6 62P	80	3,420 lm	4	Distribution	15 wide	
910500991228	BDP100 LED60/830 II DS PCF SI LS-6 62P	80	3,540 lm	4	Distribution	15 symmetrical	
910500991230	BDP100 LED40/830 II DM PCF SI 6 62P	80	2,320 lm	4	Distribution	15 medium	
910500991231	BDP100 LED40/740 II DM PCF SI 6 62P	70	2,320 lm	4	Distribution	15 medium	
910925439673	BDP100 LED40/830 II	80	2,440 lm	4	Distribution	15 symmetrical	

## TownGuide Performer

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
	DS PCF SI 6 62P					
910925866275	BDP101 LED50/830 II DS PCF GR 62P	80	3,000 lm	-	Distribution symmetrical	15
910925866484	BDP101 LED60/740 DW PCF SI 62P	70	3,420 lm	-	Distribution wide	3
910500991014	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	80	4,424 lm	8	Distribution medium	3
910925866274	BDP101 LED40/830 II DW PCC GR 62P	80	3,200 lm	-	Distribution wide	3
910925866304	BDP101 LED40/740 II DS PCC GR MSP 62P	70	3,320 lm	-	Distribution symmetrical	3
910925866485	BDP101 LED60/740 DW PCC SI 62P	70	4,740 lm	-	Distribution wide	3
910500991021	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	80	3,116 lm	4	Distribution wide	3
910500991080	BDP102 LED40/740 II DW PCC SI LS-6 62P	70	3,160 lm	3	Distribution wide	3
910500991081	BDP102 LED50/740 II DW PCC SI LS-6 62P	70	3,900 lm	4	Distribution wide	3
910500991082	BDP102 LED60/740 II DW PCC SI LS-6 62P	70	4,680 lm	4	Distribution wide	3
910500991086	BDP102 LED40/740 II DS PCC SI LS-6 62P	70	3,280 lm	3	Distribution symmetrical	3
910500991087	BDP102 LED50/740 II	70	4,050 lm	4	Distribution symmetrical	3

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
	DS PCC SI LS-6 62P					
910500991088	BDP102 LED60/740 II DS PCC SI LS-6 62P	70	4,740 lm	4	Distribution symmetrical	3
910500991092	BDP102 LED40/830 II DW PCC SI LS-6 62P	80	3,160 lm	3	Distribution wide	3
910500991093	BDP102 LED50/830 II DW PCC SI LS-6 62P	80	3,850 lm	4	Distribution wide	3
910500991094	BDP102 LED60/830 II DW PCC SI LS-6 62P	80	4,680 lm	4	Distribution wide	3
910500991098	BDP102 LED40/830 II DS PCC SI LS-6 62P	80	3,280 lm	3	Distribution symmetrical	3
910500991099	BDP102 LED50/830 II DS PCC SI LS-6 62P	80	4,000 lm	4	Distribution symmetrical	3
910500991101	BDP102 LED60/830 II DS PCC SI LS-6 62P	80	4,740 lm	4	Distribution symmetrical	3
910500991210	BDP102 LED50/830 DS PCC GR MSP 62P	80	4,000 lm	6	Distribution symmetrical	3
910500991211	BDP102 LED50/830 DM PCC GR MSP 62P	80	3,900 lm	6	Distribution medium	3
910500991212	BDP102 LED50/740 DS PCC GR MSP 62P	70	4,050 lm	6	Distribution symmetrical	3
910500991213	BDP102 LED50/740 DM PCC GR MSP 62P	70	3,950 lm	4	Distribution medium	3
910925863297	BDP102 LED70/740	70	4,900 lm	8	Distribution residential wide	3

# TownGuide Performer

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
	DRW PCC GR D9 62P					
910925866483	BDP102 LED60/740 DW PCC SI 62P	70	4,680 lm	-	Distribution wide	3
910925866548	BDP102 LED50/830 DS PCC GR MSP 62P	80	4,000 lm	-	Distribution symmetrical	3
910925866549	BDP102 LED50/830 DM PCC GR MSP 62P	80	3,900 lm	-	Distribution medium	3
910925866550	BDP102 LED50/740 DS PCC GR MSP 62P	70	4,050 lm	-	Distribution symmetrical	3
910925866551	BDP102 LED50/740 DM PCC GR MSP 62P	70	3,950 lm	-	Distribution medium	3
910500991023	BDP102 LED50/830 II DS PCF SI CLO-DDF1 6	80	1,900 lm	4	Distribution symmetrical	10
910500991083	BDP102 LED40/740 II DW PCF SI LS-6 62P	70	2,280 lm	3	Distribution wide	10
910500991084	BDP102 LED50/740 II DW PCF SI LS-6 62P	70	2,800 lm	4	Distribution wide	10
910500991085	BDP102 LED60/740 II DW PCF SI LS-6 62P	70	3,300 lm	4	Distribution wide	10
910500991089	BDP102 LED40/740 II DS PCF SI LS-6 62P	70	2,360 lm	3	Distribution symmetrical	10
910500991090	BDP102 LED50/740 II DS PCF SI LS-6 62P	70	2,950 lm	4	Distribution symmetrical	10
910500991091	BDP102 LED60/740 II	70	3,360 lm	4	Distribution symmetrical	10

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
	DS PCF SI LS-6 62P					
910500991095	BDP102 LED40/830 II DW PCF SI LS-6 62P	80	2,280 lm	3	Distribution wide	10
910500991096	BDP102 LED50/830 II DW PCF SI LS-6 62P	80	2,800 lm	4	Distribution wide	10
910500991097	BDP102 LED60/830 II DW PCF SI LS-6 62P	80	3,300 lm	4	Distribution wide	10
910500991102	BDP102 LED40/830 II DS PCF SI LS-6 62P	80	2,360 lm	3	Distribution symmetrical	10
910500991103	BDP102 LED50/830 II DS PCF SI LS-6 62P	80	2,900 lm	4	Distribution symmetrical	10
910500991104	BDP102 LED60/830 II DS PCF SI LS-6 62P	80	3,360 lm	4	Distribution symmetrical	10
910500991128	BDP102 LED20/830 DW PCF SI CLO 62P	80	1,200 lm	4	Distribution wide	10
910500991129	BDP102 LED30/830 DW PCF SI CLO 62P	80	1,740 lm	4	Distribution wide	10
910500991130	BDP102 LED35/830 DW PCF SI CLO 62P	80	1,947 lm	4	Distribution wide	10
910500991131	BDP102 LED50/830 DW PCF SI CLO 62P	80	2,714 lm	6	Distribution wide	10
910500991132	BDP102 LED70/830 DW PCF SI CLO 62P	80	3,584 lm	8	Distribution wide	10
910500991220	BDP102 LED20/830 II	80	1,160 lm	4	Distribution wide	10

## TownGuide Performer

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
	DW PCF SI LS-8 62P					
910500991221	BDP102 LED20/830 II DW PCF SI 62P	80	1,160 lm	4	Distribution wide	10
910500991222	BDP102 LED35/830 II DW PCF SI LS-8 62P	80	1,995 lm	4	Distribution wide	10
910500991223	BDP102 LED35/830 II DW PCF SI 62P	80	1,995 lm	4	Distribution wide	10
910500991224	BDP102 LED60/830 II DW PCF SI LS-8 62P	80	3,300 lm	8	Distribution wide	10
910500991232	BDP102 LED40/830 II DM PCF SI 6 62P	80	2,240 lm	4	Distribution medium	10
910500991233	BDP102 LED40/740 II DM PCF SI 6 62P	70	2,240 lm	4	Distribution medium	10
910925439676	BDP102 LED40/740 II DS PCF SI 6 62P	70	2,360 lm	4	Distribution symmetrical	10
910925439714	BDP102 LED60/740 II DS PCF SI 62P	70	3,360 lm	4	Distribution symmetrical	10
910925866482	BDP102 LED60/740 DW PCF SI 62P	70	3,300 lm	-	Distribution wide	3
910925868224	BDP102 LED25/740 DRW PCTR GR CLO- DDF2 D1	74	1,600 lm	-	Distribution residential wide	12
910500991136	BDP103 LED20/830 DW PCF SI CLO 62P	80	1,060 lm	4	Distribution wide	4
910500991138	BDP103 LED35/830	80	1,716 lm	4	Distribution wide	4

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
	DW PCF SI CLO 62P					
910500991139	BDP103 LED50/830 DW PCF SI CLO 62P	80	2,346 lm	6	Distribution wide	4
910500991142	BDP103 LED120/830 DW PCF SI CLO 62P	80	4,800 lm	8	Distribution wide	4
910925866480	BDP103 LED60/740 DW PCF SI 62P	70	2,940 lm	-	Distribution wide	3
910925863301	BDP103 LED70/740 DS PCC GR D9 62P	70	5,320 lm	8	Distribution symmetrical	3
910925866471	BDP103 LED15/740 II DRW PCC GR 62P	70	1,110 lm	-	Distribution residential wide	3
910925866472	BDP103 LED15/740 II DRW PCC GR 76P	70	1,110 lm	-	Distribution residential wide	3
910925866473	BDP103 LED25/740 II DRW PCC GR 62P	70	1,625 lm	-	Distribution residential wide	3
910925866474	BDP103 LED25/740 II DRW PCC GR 76P	70	1,625 lm	-	Distribution residential wide	3
910925866481	BDP103 LED60/740 DW PCC SI 62P	70	4,500 lm	-	Distribution wide	3
910925866624	BDP103 LED70/830 II DW PCC GR 62P	80	5,180 lm	-	Distribution symmetrical	4
910500991024	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	70	2,204 lm	4	Distribution medium	3
910925863302	BDP104 LED70/740	70	4,620 lm	8	Distribution residential wide	3



# TownGuide Performer

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
	DRW PCC GR D9 62P					
910925866479	BDP104 LED60/740 DW PCC SI 62P	70	4,380 lm	-	Distribution wide	3
910500991025	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	80	1,386 lm	3	Distribution symmetrical	3
910500991059	BDP100 LED40/740 II	70	2,160 lm	3	Distribution wide	3

Order Code	Full Product Name	Color rendering		Number of light sources	Optic type outdoor	Upward light output ratio
		index (CRI)	Luminous Flux			
	DW PCF SI LS-6 62P					
910500991147	BDP104 LED50/830 DW PCF SI CLO 62P	80	2,208 lm	6	Distribution wide	3
910500991149	BDP104 LED100/830 DW PCF SI CLO 62P	80	3,680 lm	6	Distribution wide	3
910925866478	BDP104 LED60/740 DW PCF SI 62P	70	2,760 lm	-	Distribution wide	3

## Operating and Electrical

Order Code	Full Product Name	Power Consumption
910925863304	BDP105 LED70/740 DS PCC GR D9 62P	45.5 W
910925866477	BDP105 LED60/740 DW PCC SI 62P	39 W
910925866625	BDP105 LED50/830 II DW PCC GR 62P	41 W
910925866626	BDP105 LED70/830 II DW PCC GR 62P	56 W
910925866627	BDP105 LED70/830 II DS PCC GR 62P	56 W
910500991009	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	19.6 W
910500991010	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	32.5 W
910500991056	BDP100 LED40/740 II DW PCC SI LS-6 62P	27.5 W
910500991057	BDP100 LED50/740 II DW PCC SI LS-6 62P	34 W
910500991058	BDP100 LED60/740 II DW PCC SI LS-6 62P	39 W
910500991062	BDP100 LED40/740 II DS PCC SI LS-6 62P	27.5 W
910500991063	BDP100 LED50/740 II DS PCC SI LS-6 62P	34 W
910500991064	BDP100 LED60/740 II DS PCC SI LS-6 62P	39 W
910500991068	BDP100 LED40/830 II DW PCC SI LS-6 62P	32.5 W
910500991069	BDP100 LED50/830 II DW PCC SI LS-6 62P	41 W
910500991070	BDP100 LED60/830 II DW PCC SI LS-6 62P	47 W
910500991074	BDP100 LED40/830 II DS PCC SI LS-6 62P	32.5 W
910500991075	BDP100 LED50/830 II DS PCC SI LS-6 62P	41 W
910500991076	BDP100 LED60/830 II DS PCC SI LS-6 62P	47 W
910500991164	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	19.6 W
910925452181	BDP100 LED40/740 DS PCC GR DDF27 62P	27.5 W
910925452182	BDP100 LED80/740 DS PCC GR DDF27 62P	53 W
910925863295	BDP100 LED70/740 DS PCC GR D9 62P	45.5 W
910925866272	BDP100 LED40/830 II DW PCC GR 62P	32.5 W
910925866276	BDP100 LED40/740 II DW PCC GR 62P	27.5 W
910925866277	BDP100 LED50/740 II DW PCC GR 62P	34 W
910925866278	BDP100 LED70/740 II DW PCC GR 62P	45.5 W
910925866282	BDP100 LED30/740 II DS PCC GR 62P	19.6 W
910925866283	BDP100 LED50/740 II DS PCC GR 62P	34 W
910925866284	BDP100 LED70/740 II DS PCC GR 62P	45.5 W
910925866288	BDP100 LED50/830 II DW PCC GR 62P	41 W

Order Code	Full Product Name	Power Consumption
910925866289	BDP100 LED70/830 II DW PCC GR 62P	56 W
910925866293	BDP100 LED30/830 II DS PCC GR 62P	23.5 W
910925866294	BDP100 LED50/830 II DS PCC GR 62P	41 W
910925866295	BDP100 LED70/830 II DS PCC GR 62P	56 W
910925866302	BDP100 LED40/740 II DS PCC GR 62P	27.5 W
910925866303	BDP100 LED40/740 II DW PCC GR MSP 62P	27.5 W
910925866305	BDP100 LED50/830 II DS PCC GR MSP 62P	41 W
910925866487	BDP100 LED60/740 DW PCC SI 62P	39 W
910925866546	BDP100 LED40/830 DS PCC GR MSP 62P	32.5 W
910925866547	BDP100 LED40/740 DS PCC GR MSP 62P	27.5 W
910925867796	BDP100 LED120/740 II DRW PCC GR-900 D11	79 W
910925867797	BDP100 LED120/740 II DRW PCC GR-900 D11	79 W
910925867798	BDP100 LED70/740 II DRW PCC GR-900 D11 5	45.5 W
910925867799	BDP100 LED70/740 II DRW PCC GR-900 D11 5	45.5 W
910925868057	BDP100 LED40/730 II DW PCC GR 62P	29.5 W
910925868060	BDP100 LED50/730 II DS PCC GR 62P	36.5 W
910925868063	BDP100 LED50/730 II DW PCC GR 62P	36.5 W
910925868066	BDP100 LED70/730 II DS PCC GR 62P	49.5 W
910925868067	BDP100 LED70/730 II DW PCC GR 62P	49.5 W
910925868095	BDP100 LED40/830 DS PCC ALU 76P	32.5 W
910500991011	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	32.5 W
910500991060	BDP100 LED50/740 II DW PCF SI LS-6 62P	34 W
910500991061	BDP100 LED60/740 II DW PCF SI LS-6 62P	39 W
910500991065	BDP100 LED40/740 II DS PCF SI LS-6 62P	27.5 W
910500991066	BDP100 LED50/740 II DS PCF SI LS-6 62P	34 W
910500991067	BDP100 LED60/740 II DS PCF SI LS-6 62P	39 W
910500991071	BDP100 LED40/830 II DW PCF SI LS-6 62P	32.5 W
910500991072	BDP100 LED50/830 II DW PCF SI LS-6 62P	41 W
910500991073	BDP100 LED60/830 II DW PCF SI LS-6 62P	47 W
910500991077	BDP100 LED40/830 II DS PCF SI LS-6 62P	32.5 W
910500991078	BDP100 LED50/830 II DS PCF SI LS-6 62P	41 W

## TownGuide Performer

Order Code	Full Product Name	Power Consumption
910500991079	BDP100 LED60/830 II DS PCF SI LS-6 62P	47 W
910500991112	BDP100 LED20/830 DW PCF SI CLO 62P	15.8 W
910500991115	BDP100 LED50/830 DW PCF SI CLO 62P	40 W
910500991117	BDP100 LED100/830 DW PCF SI CLO 62P	74 W
910500991153	BDP100 LED50/740 DW PCF SI 62P	34 W
910500991190	BDP100 LED30/740 II DS PCF SI CLO 62P	16.6 W
910925439711	BDP100 LED60/740 II DS PCF SI 62P	39 W
910925439715	BDP100 LED60/830 II DS PCF SI 62P	47 W
910925866273	BDP100 LED50/830 II DS PCF GR 62P	41 W
910925866279	BDP100 LED30/740 II DW PCF GR 62P	19.6 W
910925866281	BDP100 LED70/740 II DW PCF GR 62P	45.5 W
910925866285	BDP100 LED30/740 II DS PCF GR 62P	19.6 W
910925866286	BDP100 LED50/740 II DS PCF GR 62P	34 W
910925866287	BDP100 LED70/740 II DS PCF GR 62P	45.5 W
910925866290	BDP100 LED30/830 II DW PCF GR 62P	23.5 W
910925866291	BDP100 LED50/830 II DW PCF GR 62P	41 W
910925866292	BDP100 LED70/830 II DW PCF GR 62P	56 W
910925866296	BDP100 LED30/830 II DS PCF GR 62P	23.5 W
910925866297	BDP100 LED70/830 II DS PCF GR 62P	56 W
910925866298	BDP100 LED20/830 DS PCF GR 62P	15.8 W
910925866299	BDP100 LED30/830 DS PCF GR 62P	23.5 W
910925866301	BDP100 LED40/830 DS PCF GR 62P	32.5 W
910925866486	BDP100 LED60/740 DW PCF SI 62P	39 W
910925868223	BDP100 LED70/730 II DM PCTR GR D9 SDM10	49.5 W
910500991015	BDP101 LED60/830 II DS PCF SI CLO-DDF2 6	40 W
910500991121	BDP101 LED30/830 DW PCF SI CLO 62P	23.5 W
910500991122	BDP101 LED35/830 DW PCF SI CLO 62P	27 W
910500991125	BDP101 LED100/830 DW PCF SI CLO 62P	74 W
910500991214	BDP101 LED20/830 II DW PCF SI LS-8 62P	15.8 W
910500991216	BDP101 LED35/830 II DW PCF SI LS-8 62P	27.5 W
910500991218	BDP101 LED60/830 II DW PCF SI LS-8 62P	47 W
910500991226	BDP101 LED60/830 II DW PCF SI LS-6 62P	47 W
910500991228	BDP101 LED60/830 II DS PCF SI LS-6 62P	47 W
910500991230	BDP101 LED40/830 II DM PCF SI 6 62P	32.5 W
910500991231	BDP101 LED40/740 II DM PCF SI 6 62P	27.5 W
910925439673	BDP101 LED40/830 II DS PCF SI 6 62P	32.5 W
910925866275	BDP101 LED50/830 II DS PCF GR 62P	41 W
910925866484	BDP101 LED60/740 DW PCF SI 62P	39 W
910500991014	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	46.5 W
910925866274	BDP101 LED40/830 II DW PCC GR 62P	32.5 W
910925866304	BDP101 LED40/740 II DS PCC GR MSP 62P	27.5 W
910925866485	BDP101 LED60/740 DW PCC SI 62P	39 W
910500991021	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	32.5 W
910500991080	BDP102 LED40/740 II DW PCC SI LS-6 62P	27.5 W
910500991081	BDP102 LED50/740 II DW PCC SI LS-6 62P	34 W
910500991082	BDP102 LED60/740 II DW PCC SI LS-6 62P	39 W
910500991086	BDP102 LED40/740 II DS PCC SI LS-6 62P	27.5 W
910500991087	BDP102 LED50/740 II DS PCC SI LS-6 62P	34 W
910500991088	BDP102 LED60/740 II DS PCC SI LS-6 62P	39 W
910500991092	BDP102 LED40/830 II DW PCC SI LS-6 62P	32.5 W
910500991093	BDP102 LED50/830 II DW PCC SI LS-6 62P	41 W
910500991094	BDP102 LED60/830 II DW PCC SI LS-6 62P	47 W

Order Code	Full Product Name	Power Consumption
910500991098	BDP102 LED40/830 II DS PCC SI LS-6 62P	32.5 W
910500991099	BDP102 LED50/830 II DS PCC SI LS-6 62P	41 W
910500991101	BDP102 LED60/830 II DS PCC SI LS-6 62P	47 W
910500991210	BDP102 LED50/830 DS PCC GR MSP 62P	41 W
910500991211	BDP102 LED50/830 DM PCC GR MSP 62P	41 W
910500991212	BDP102 LED50/740 DS PCC GR MSP 62P	34 W
910500991213	BDP102 LED50/740 DM PCC GR MSP 62P	34 W
910925863297	BDP102 LED70/740 DRW PCC GR D9 62P	45.5 W
910925866483	BDP102 LED60/740 DW PCC SI 62P	39 W
910925866548	BDP102 LED50/830 DS PCC GR MSP 62P	41 W
910925866549	BDP102 LED50/830 DM PCC GR MSP 62P	41 W
910925866550	BDP102 LED50/740 DS PCC GR MSP 62P	34 W
910925866551	BDP102 LED50/740 DM PCC GR MSP 62P	34 W
910500991023	BDP102 LED50/830 II DS PCF SI CLO-DDF1 6	32.5 W
910500991083	BDP102 LED40/740 II DW PCF SI LS-6 62P	27.5 W
910500991084	BDP102 LED50/740 II DW PCF SI LS-6 62P	34 W
910500991085	BDP102 LED60/740 II DW PCF SI LS-6 62P	39 W
910500991089	BDP102 LED40/740 II DS PCF SI LS-6 62P	27.5 W
910500991090	BDP102 LED50/740 II DS PCF SI LS-6 62P	34 W
910500991091	BDP102 LED60/740 II DS PCF SI LS-6 62P	39 W
910500991095	BDP102 LED40/830 II DW PCF SI LS-6 62P	32.5 W
910500991096	BDP102 LED50/830 II DW PCF SI LS-6 62P	41 W
910500991097	BDP102 LED60/830 II DW PCF SI LS-6 62P	47 W
910500991102	BDP102 LED40/830 II DS PCF SI LS-6 62P	32.5 W
910500991103	BDP102 LED50/830 II DS PCF SI LS-6 62P	41 W
910500991104	BDP102 LED60/830 II DS PCF SI LS-6 62P	47 W
910500991128	BDP102 LED20/830 DW PCF SI CLO 62P	15.8 W
910500991129	BDP102 LED30/830 DW PCF SI CLO 62P	23.5 W
910500991130	BDP102 LED35/830 DW PCF SI CLO 62P	27 W
910500991131	BDP102 LED50/830 DW PCF SI CLO 62P	40 W
910500991132	BDP102 LED70/830 DW PCF SI CLO 62P	54 W
910500991220	BDP102 LED20/830 II DW PCF SI LS-8 62P	15.8 W
910500991221	BDP102 LED20/830 II DW PCF SI 62P	15.8 W
910500991222	BDP102 LED35/830 II DW PCF SI LS-8 62P	27.5 W
910500991223	BDP102 LED35/830 II DW PCF SI 62P	27.5 W
910500991224	BDP102 LED60/830 II DW PCF SI LS-8 62P	47 W
910500991232	BDP102 LED40/830 II DM PCF SI 6 62P	32.5 W
910500991233	BDP102 LED40/740 II DM PCF SI 6 62P	27.5 W
910925439676	BDP102 LED40/740 II DS PCF SI 6 62P	27.5 W
910925439714	BDP102 LED60/740 II DS PCF SI 62P	39 W
910925866482	BDP102 LED60/740 DW PCF SI 62P	39 W
910925868224	BDP102 LED25/740 DRW PCTR GR CLO-DDF2 D1	16.4 W
910500991136	BDP103 LED20/830 DW PCF SI CLO 62P	15.8 W
910500991138	BDP103 LED35/830 DW PCF SI CLO 62P	27 W
910500991139	BDP103 LED50/830 DW PCF SI CLO 62P	40 W
910500991142	BDP103 LED120/830 DW PCF SI CLO 62P	92 W
910925866480	BDP103 LED60/740 DW PCF SI 62P	39 W
910925863301	BDP103 LED70/740 DS PCC GR D9 62P	45.5 W
910925866471	BDP103 LED15/740 II DRW PCC GR 62P	11 W
910925866472	BDP103 LED15/740 II DRW PCC GR 76P	11 W
910925866473	BDP103 LED25/740 II DRW PCC GR 62P	16.6 W

## TownGuide Performer

Order Code	Full Product Name	Power Consumption
910925866474	BDP103 LED25/740 II DRW PCC GR 76P	16.6 W
910925866481	BDP103 LED60/740 DW PCC SI 62P	39 W
910925866624	BDP103 LED70/830 II DW PCC GR 62P	56 W
910500991024	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	19.6 W
910925863302	BDP104 LED70/740 DRW PCC GR D9 62P	45.5 W
910925866479	BDP104 LED60/740 DW PCC SI 62P	39 W

Order Code	Full Product Name	Power Consumption
910500991025	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	27 W
910500991059	BDP100 LED40/740 II DW PCF SI LS-6 62P	27.5 W
910500991147	BDP104 LED50/830 DW PCF SI CLO 62P	40 W
910500991149	BDP104 LED100/830 DW PCF SI CLO 62P	74 W
910925866478	BDP104 LED60/740 DW PCF SI 62P	39 W

### Controls and Dimming

Order Code	Full Product Name	Dimmable
910925863304	BDP105 LED70/740 DS PCC GR D9 62P	Yes
910925866477	BDP105 LED60/740 DW PCC SI 62P	No
910925866625	BDP105 LED50/830 II DW PCC GR 62P	No
910925866626	BDP105 LED70/830 II DW PCC GR 62P	No
910925866627	BDP105 LED70/830 II DS PCC GR 62P	No
910500991009	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	Yes
910500991010	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	Yes
910500991056	BDP100 LED40/740 II DW PCC SI LS-6 62P	Yes
910500991057	BDP100 LED50/740 II DW PCC SI LS-6 62P	Yes
910500991058	BDP100 LED60/740 II DW PCC SI LS-6 62P	Yes
910500991062	BDP100 LED40/740 II DS PCC SI LS-6 62P	Yes
910500991063	BDP100 LED50/740 II DS PCC SI LS-6 62P	Yes
910500991064	BDP100 LED60/740 II DS PCC SI LS-6 62P	Yes
910500991068	BDP100 LED40/830 II DW PCC SI LS-6 62P	Yes
910500991069	BDP100 LED50/830 II DW PCC SI LS-6 62P	Yes
910500991070	BDP100 LED60/830 II DW PCC SI LS-6 62P	Yes
910500991074	BDP100 LED40/830 II DS PCC SI LS-6 62P	Yes
910500991075	BDP100 LED50/830 II DS PCC SI LS-6 62P	Yes
910500991076	BDP100 LED60/830 II DS PCC SI LS-6 62P	Yes
910500991164	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	Yes
910925452181	BDP100 LED40/740 DS PCC GR DDF27 62P	Yes
910925452182	BDP100 LED80/740 DS PCC GR DDF27 62P	Yes
910925863295	BDP100 LED70/740 DS PCC GR D9 62P	Yes
910925866272	BDP100 LED40/830 II DW PCC GR 62P	No
910925866276	BDP100 LED40/740 II DW PCC GR 62P	No
910925866277	BDP100 LED50/740 II DW PCC GR 62P	No
910925866278	BDP100 LED70/740 II DW PCC GR 62P	No
910925866282	BDP100 LED30/740 II DS PCC GR 62P	No
910925866283	BDP100 LED50/740 II DS PCC GR 62P	No
910925866284	BDP100 LED70/740 II DS PCC GR 62P	No
910925866288	BDP100 LED50/830 II DW PCC GR 62P	No
910925866289	BDP100 LED70/830 II DW PCC GR 62P	No
910925866293	BDP100 LED30/830 II DS PCC GR 62P	No
910925866294	BDP100 LED50/830 II DS PCC GR 62P	No
910925866295	BDP100 LED70/830 II DS PCC GR 62P	No
910925866302	BDP100 LED40/740 II DS PCC GR 62P	No
910925866303	BDP100 LED40/740 II DW PCC GR MSP 62P	No
910925866305	BDP100 LED50/830 II DS PCC GR MSP 62P	No
910925866487	BDP100 LED60/740 DW PCC SI 62P	No
910925866546	BDP100 LED40/830 DS PCC GR MSP 62P	No
910925866547	BDP100 LED40/740 DS PCC GR MSP 62P	No
910925867796	BDP100 LED120/740 II DRW PCC GR-900 D11	Yes

Order Code	Full Product Name	Dimmable
910925867797	BDP100 LED120/740 II DRW PCC GR-900 D11	Yes
910925867798	BDP100 LED70/740 II DRW PCC GR-900 D11 5	Yes
910925867799	BDP100 LED70/740 II DRW PCC GR-900 D11 5	Yes
910925868057	BDP100 LED40/730 II DW PCC GR 62P	No
910925868060	BDP100 LED50/730 II DS PCC GR 62P	No
910925868063	BDP100 LED50/730 II DW PCC GR 62P	No
910925868066	BDP100 LED70/730 II DS PCC GR 62P	No
910925868067	BDP100 LED70/730 II DW PCC GR 62P	No
910925868095	BDP100 LED40/830 DS PCC ALU 76P	No
910500991011	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	Yes
910500991060	BDP100 LED50/740 II DW PCF SI LS-6 62P	Yes
910500991061	BDP100 LED60/740 II DW PCF SI LS-6 62P	Yes
910500991065	BDP100 LED40/740 II DS PCF SI LS-6 62P	Yes
910500991066	BDP100 LED50/740 II DS PCF SI LS-6 62P	Yes
910500991067	BDP100 LED60/740 II DS PCF SI LS-6 62P	Yes
910500991071	BDP100 LED40/830 II DW PCF SI LS-6 62P	Yes
910500991072	BDP100 LED50/830 II DW PCF SI LS-6 62P	Yes
910500991073	BDP100 LED60/830 II DW PCF SI LS-6 62P	Yes
910500991077	BDP100 LED40/830 II DS PCF SI LS-6 62P	Yes
910500991078	BDP100 LED50/830 II DS PCF SI LS-6 62P	Yes
910500991079	BDP100 LED60/830 II DS PCF SI LS-6 62P	Yes
910500991112	BDP100 LED20/830 DW PCF SI CLO 62P	No
910500991115	BDP100 LED50/830 DW PCF SI CLO 62P	No
910500991117	BDP100 LED100/830 DW PCF SI CLO 62P	No
910500991153	BDP100 LED50/740 DW PCF SI 62P	No
910500991190	BDP100 LED30/740 II DS PCF SI CLO 62P	No
910925439711	BDP100 LED60/740 II DS PCF SI 62P	No
910925439715	BDP100 LED60/830 II DS PCF SI 62P	No
910925866273	BDP100 LED50/830 II DS PCF GR 62P	No
910925866279	BDP100 LED30/740 II DW PCF GR 62P	No
910925866281	BDP100 LED70/740 II DW PCF GR 62P	No
910925866285	BDP100 LED30/740 II DS PCF GR 62P	No
910925866286	BDP100 LED50/740 II DS PCF GR 62P	No
910925866287	BDP100 LED70/740 II DS PCF GR 62P	No
910925866290	BDP100 LED30/830 II DW PCF GR 62P	No
910925866291	BDP100 LED50/830 II DW PCF GR 62P	No
910925866292	BDP100 LED70/830 II DW PCF GR 62P	No
910925866296	BDP100 LED30/830 II DS PCF GR 62P	No
910925866297	BDP100 LED70/830 II DS PCF GR 62P	No
910925866298	BDP100 LED20/830 DS PCF GR 62P	No
910925866299	BDP100 LED30/830 DS PCF GR 62P	No
910925866301	BDP100 LED40/830 DS PCF GR 62P	No

## TownGuide Performer

Order Code	Full Product Name	Dimmable
910925866486	BDP100 LED60/740 DW PCF SI 62P	No
910925868223	BDP100 LED70/730 II DM PCTR GR D9 SDM10	No
910500991015	BDP101 LED60/830 II DS PCF SI CLO-DDF2 6	Yes
910500991121	BDP101 LED30/830 DW PCF SI CLO 62P	No
910500991122	BDP101 LED35/830 DW PCF SI CLO 62P	No
910500991125	BDP101 LED100/830 DW PCF SI CLO 62P	No
910500991214	BDP101 LED20/830 II DW PCF SI LS-8 62P	Yes
910500991216	BDP101 LED35/830 II DW PCF SI LS-8 62P	Yes
910500991218	BDP101 LED60/830 II DW PCF SI LS-8 62P	Yes
910500991226	BDP101 LED60/830 II DW PCF SI LS-6 62P	Yes
910500991228	BDP101 LED60/830 II DS PCF SI LS-6 62P	Yes
910500991230	BDP101 LED40/830 II DM PCF SI 6 62P	No
910500991231	BDP101 LED40/740 II DM PCF SI 6 62P	No
910925439673	BDP101 LED40/830 II DS PCF SI 6 62P	No
910925866275	BDP101 LED50/830 II DS PCF GR 62P	No
910925866484	BDP101 LED60/740 DW PCF SI 62P	No
910500991014	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	Yes
910925866274	BDP101 LED40/830 II DW PCC GR 62P	No
910925866304	BDP101 LED40/740 II DS PCC GR MSP 62P	No
910925866485	BDP101 LED60/740 DW PCC SI 62P	No
910500991021	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	Yes
910500991080	BDP102 LED40/740 II DW PCC SI LS-6 62P	Yes
910500991081	BDP102 LED50/740 II DW PCC SI LS-6 62P	Yes
910500991082	BDP102 LED60/740 II DW PCC SI LS-6 62P	Yes
910500991086	BDP102 LED40/740 II DS PCC SI LS-6 62P	Yes
910500991087	BDP102 LED50/740 II DS PCC SI LS-6 62P	Yes
910500991088	BDP102 LED60/740 II DS PCC SI LS-6 62P	Yes
910500991092	BDP102 LED40/830 II DW PCC SI LS-6 62P	Yes
910500991093	BDP102 LED50/830 II DW PCC SI LS-6 62P	Yes
910500991094	BDP102 LED60/830 II DW PCC SI LS-6 62P	Yes
910500991098	BDP102 LED40/830 II DS PCC SI LS-6 62P	Yes
910500991099	BDP102 LED50/830 II DS PCC SI LS-6 62P	Yes
910500991101	BDP102 LED60/830 II DS PCC SI LS-6 62P	Yes
910500991210	BDP102 LED50/830 DS PCC GR MSP 62P	No
910500991211	BDP102 LED50/830 DM PCC GR MSP 62P	No
910500991212	BDP102 LED50/740 DS PCC GR MSP 62P	No
910500991213	BDP102 LED50/740 DM PCC GR MSP 62P	No
910925863297	BDP102 LED70/740 DRW PCC GR D9 62P	Yes
910925866483	BDP102 LED60/740 DW PCC SI 62P	No
910925866548	BDP102 LED50/830 DS PCC GR MSP 62P	No
910925866549	BDP102 LED50/830 DM PCC GR MSP 62P	No
910925866550	BDP102 LED50/740 DS PCC GR MSP 62P	No
910925866551	BDP102 LED50/740 DM PCC GR MSP 62P	No
910500991023	BDP102 LED50/830 II DS PCF SI CLO-DDF1 6	Yes
910500991083	BDP102 LED40/740 II DW PCF SI LS-6 62P	Yes
910500991084	BDP102 LED50/740 II DW PCF SI LS-6 62P	Yes

Order Code	Full Product Name	Dimmable
910500991085	BDP102 LED60/740 II DW PCF SI LS-6 62P	Yes
910500991089	BDP102 LED40/740 II DS PCF SI LS-6 62P	Yes
910500991090	BDP102 LED50/740 II DS PCF SI LS-6 62P	Yes
910500991091	BDP102 LED60/740 II DS PCF SI LS-6 62P	Yes
910500991095	BDP102 LED40/830 II DW PCF SI LS-6 62P	Yes
910500991096	BDP102 LED50/830 II DW PCF SI LS-6 62P	Yes
910500991097	BDP102 LED60/830 II DW PCF SI LS-6 62P	Yes
910500991102	BDP102 LED40/830 II DS PCF SI LS-6 62P	Yes
910500991103	BDP102 LED50/830 II DS PCF SI LS-6 62P	Yes
910500991104	BDP102 LED60/830 II DS PCF SI LS-6 62P	Yes
910500991128	BDP102 LED20/830 DW PCF SI CLO 62P	No
910500991129	BDP102 LED30/830 DW PCF SI CLO 62P	No
910500991130	BDP102 LED35/830 DW PCF SI CLO 62P	No
910500991131	BDP102 LED50/830 DW PCF SI CLO 62P	No
910500991132	BDP102 LED70/830 DW PCF SI CLO 62P	No
910500991220	BDP102 LED20/830 II DW PCF SI LS-8 62P	Yes
910500991221	BDP102 LED20/830 II DW PCF SI 62P	No
910500991222	BDP102 LED35/830 II DW PCF SI LS-8 62P	Yes
910500991223	BDP102 LED35/830 II DW PCF SI 62P	No
910500991224	BDP102 LED60/830 II DW PCF SI LS-8 62P	Yes
910500991232	BDP102 LED40/830 II DM PCF SI 6 62P	No
910500991233	BDP102 LED40/740 II DM PCF SI 6 62P	No
910925439676	BDP102 LED40/740 II DS PCF SI 6 62P	No
910925439714	BDP102 LED60/740 II DS PCF SI 62P	No
910925866482	BDP102 LED60/740 DW PCF SI 62P	No
910925868224	BDP102 LED25/740 DRW PCTR GR CLO-DDF2 D1	No
910500991136	BDP103 LED20/830 DW PCF SI CLO 62P	No
910500991138	BDP103 LED35/830 DW PCF SI CLO 62P	No
910500991139	BDP103 LED50/830 DW PCF SI CLO 62P	No
910500991142	BDP103 LED120/830 DW PCF SI CLO 62P	No
910925866480	BDP103 LED60/740 DW PCF SI 62P	No
910925863301	BDP103 LED70/740 DS PCC GR D9 62P	Yes
910925866471	BDP103 LED15/740 II DRW PCC GR 62P	No
910925866472	BDP103 LED15/740 II DRW PCC GR 76P	No
910925866473	BDP103 LED25/740 II DRW PCC GR 62P	No
910925866474	BDP103 LED25/740 II DRW PCC GR 76P	No
910925866481	BDP103 LED60/740 DW PCC SI 62P	No
910925866624	BDP103 LED70/830 II DW PCC GR 62P	No
910500991024	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	Yes
910925863302	BDP104 LED70/740 DRW PCC GR D9 62P	Yes
910925866479	BDP104 LED60/740 DW PCC SI 62P	No
910500991025	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	Yes
910500991059	BDP100 LED40/740 II DW PCF SI LS-6 62P	Yes
910500991147	BDP104 LED50/830 DW PCF SI CLO 62P	No
910500991149	BDP104 LED100/830 DW PCF SI CLO 62P	No
910925866478	BDP104 LED60/740 DW PCF SI 62P	No

### Mechanical and Housing

Order Code	Full Product Name	Housing Color
910925863304	BDP105 LED70/740 DS PCC GR D9 62P	Gray
910925866477	BDP105 LED60/740 DW PCC SI 62P	Silver

Order Code	Full Product Name	Housing Color
910925866625	BDP105 LED50/830 II DW PCC GR 62P	Gray
910925866626	BDP105 LED70/830 II DW PCC GR 62P	Gray

## TownGuide Performer

Order Code	Full Product Name	Housing Color	Order Code	Full Product Name	Housing Color
910925866627	BDP105 LED70/830 II DS PCC GR 62P	Gray	910500991067	BDP100 LED60/740 II DS PCF SI LS-6 62P	Silver
910500991009	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	Silver	910500991071	BDP100 LED40/830 II DW PCF SI LS-6 62P	Silver
910500991010	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	Silver	910500991072	BDP100 LED50/830 II DW PCF SI LS-6 62P	Silver
910500991056	BDP100 LED40/740 II DW PCC SI LS-6 62P	Silver	910500991073	BDP100 LED60/830 II DW PCF SI LS-6 62P	Silver
910500991057	BDP100 LED50/740 II DW PCC SI LS-6 62P	Silver	910500991077	BDP100 LED40/830 II DS PCF SI LS-6 62P	Silver
910500991058	BDP100 LED60/740 II DW PCC SI LS-6 62P	Silver	910500991078	BDP100 LED50/830 II DS PCF SI LS-6 62P	Silver
910500991062	BDP100 LED40/740 II DS PCC SI LS-6 62P	Silver	910500991079	BDP100 LED60/830 II DS PCF SI LS-6 62P	Silver
910500991063	BDP100 LED50/740 II DS PCC SI LS-6 62P	Silver	910500991112	BDP100 LED20/830 DW PCF SI CLO 62P	Silver
910500991064	BDP100 LED60/740 II DS PCC SI LS-6 62P	Silver	910500991115	BDP100 LED50/830 DW PCF SI CLO 62P	Silver
910500991068	BDP100 LED40/830 II DW PCC SI LS-6 62P	Silver	910500991117	BDP100 LED100/830 DW PCF SI CLO 62P	Silver
910500991069	BDP100 LED50/830 II DW PCC SI LS-6 62P	Silver	910500991153	BDP100 LED50/740 DW PCF SI 62P	Silver
910500991070	BDP100 LED60/830 II DW PCC SI LS-6 62P	Silver	910500991190	BDP100 LED30/740 II DS PCF SI CLO 62P	Silver
910500991074	BDP100 LED40/830 II DS PCC SI LS-6 62P	Silver	910925439711	BDP100 LED60/740 II DS PCF SI 62P	Silver
910500991075	BDP100 LED50/830 II DS PCC SI LS-6 62P	Silver	910925439715	BDP100 LED60/830 II DS PCF SI 62P	Silver
910500991076	BDP100 LED60/830 II DS PCC SI LS-6 62P	Silver	910925866273	BDP100 LED50/830 II DS PCF GR 62P	Gray
910500991164	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	Silver	910925866279	BDP100 LED30/740 II DW PCF GR 62P	Gray
910925452181	BDP100 LED40/740 DS PCC GR DDF27 62P	Gray	910925866281	BDP100 LED70/740 II DW PCF GR 62P	Gray
910925452182	BDP100 LED80/740 DS PCC GR DDF27 62P	Gray	910925866285	BDP100 LED30/740 II DS PCF GR 62P	Gray
910925863295	BDP100 LED70/740 DS PCC GR D9 62P	Gray	910925866286	BDP100 LED50/740 II DS PCF GR 62P	Gray
910925866272	BDP100 LED40/830 II DW PCC GR 62P	Gray	910925866287	BDP100 LED70/740 II DS PCF GR 62P	Gray
910925866276	BDP100 LED40/740 II DW PCC GR 62P	Gray	910925866290	BDP100 LED30/830 II DW PCF GR 62P	Gray
910925866277	BDP100 LED50/740 II DW PCC GR 62P	Gray	910925866291	BDP100 LED50/830 II DW PCF GR 62P	Gray
910925866278	BDP100 LED70/740 II DW PCC GR 62P	Gray	910925866292	BDP100 LED70/830 II DW PCF GR 62P	Gray
910925866282	BDP100 LED30/740 II DS PCC GR 62P	Gray	910925866296	BDP100 LED30/830 II DS PCF GR 62P	Gray
910925866283	BDP100 LED50/740 II DS PCC GR 62P	Gray	910925866297	BDP100 LED70/830 II DS PCF GR 62P	Gray
910925866284	BDP100 LED70/740 II DS PCC GR 62P	Gray	910925866298	BDP100 LED20/830 DS PCF GR 62P	Gray
910925866288	BDP100 LED50/830 II DW PCC GR 62P	Gray	910925866299	BDP100 LED30/830 DS PCF GR 62P	Gray
910925866289	BDP100 LED70/830 II DW PCC GR 62P	Gray	910925866301	BDP100 LED40/830 DS PCF GR 62P	Gray
910925866293	BDP100 LED30/830 II DS PCC GR 62P	Gray	910925866486	BDP100 LED60/740 DW PCF SI 62P	Silver
910925866294	BDP100 LED50/830 II DS PCC GR 62P	Gray	910925868223	BDP100 LED70/730 II DM PCTR GR D9 SDM10	Gray
910925866295	BDP100 LED70/830 II DS PCC GR 62P	Gray	910500991015	BDP101 LED60/830 II DS PCF SI CLO-DDF2 6	Silver
910925866302	BDP100 LED40/740 II DS PCC GR 62P	Gray	910500991121	BDP101 LED30/830 DW PCF SI CLO 62P	Silver
910925866303	BDP100 LED40/740 II DW PCC GR MSP 62P	Gray	910500991122	BDP101 LED35/830 DW PCF SI CLO 62P	Silver
910925866305	BDP100 LED50/830 II DS PCC GR MSP 62P	Gray	910500991125	BDP101 LED100/830 DW PCF SI CLO 62P	Silver
910925866487	BDP100 LED60/740 DW PCC SI 62P	Silver	910500991214	BDP101 LED20/830 II DW PCF SI LS-8 62P	Silver
910925866546	BDP100 LED40/830 DS PCC GR MSP 62P	Gray	910500991216	BDP101 LED35/830 II DW PCF SI LS-8 62P	Silver
910925866547	BDP100 LED40/740 DS PCC GR MSP 62P	Gray	910500991218	BDP101 LED60/830 II DW PCF SI LS-8 62P	Silver
910925867796	BDP100 LED120/740 II DRW PCC GR-900 D11	Gray	910500991226	BDP101 LED60/830 II DW PCF SI LS-6 62P	Silver
910925867797	BDP100 LED120/740 II DRW PCC GR-900 D11	Gray	910500991228	BDP101 LED60/830 II DS PCF SI LS-6 62P	Silver
910925867798	BDP100 LED70/740 II DRW PCC GR-900 D11 5	Gray	910500991230	BDP101 LED40/830 II DM PCF SI 6 62P	Silver
910925867799	BDP100 LED70/740 II DRW PCC GR-900 D11 5	Gray	910500991231	BDP101 LED40/740 II DM PCF SI 6 62P	Silver
910925868057	BDP100 LED40/730 II DW PCC GR 62P	Gray	910925439673	BDP101 LED40/830 II DS PCF SI 6 62P	Silver
910925868060	BDP100 LED50/730 II DS PCC GR 62P	Gray	910925866275	BDP101 LED50/830 II DS PCF GR 62P	Gray
910925868063	BDP100 LED50/730 II DW PCC GR 62P	Gray	910925866484	BDP101 LED60/740 DW PCF SI 62P	Silver
910925868066	BDP100 LED70/730 II DS PCC GR 62P	Gray	910500991014	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	Silver
910925868067	BDP100 LED70/730 II DW PCC GR 62P	Gray	910925866274	BDP101 LED40/830 II DW PCC GR 62P	Gray
910925868095	BDP100 LED40/830 DS PCC ALU 76P	Silver	910925866304	BDP101 LED40/740 II DS PCC GR MSP 62P	Gray
910500991011	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	Silver	910925866485	BDP101 LED60/740 DW PCC SI 62P	Silver
910500991060	BDP100 LED50/740 II DW PCF SI LS-6 62P	Silver	910500991021	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	Silver
910500991061	BDP100 LED60/740 II DW PCF SI LS-6 62P	Silver	910500991080	BDP102 LED40/740 II DW PCC SI LS-6 62P	Silver
910500991065	BDP100 LED40/740 II DS PCF SI LS-6 62P	Silver	910500991081	BDP102 LED50/740 II DW PCC SI LS-6 62P	Silver
910500991066	BDP100 LED50/740 II DS PCF SI LS-6 62P	Silver	910500991082	BDP102 LED60/740 II DW PCC SI LS-6 62P	Silver

## TownGuide Performer

Order Code	Full Product Name	Housing Color
910500991086	BDP102 LED40/740 II DS PCC SI LS-6 62P	Silver
910500991087	BDP102 LED50/740 II DS PCC SI LS-6 62P	Silver
910500991088	BDP102 LED60/740 II DS PCC SI LS-6 62P	Silver
910500991092	BDP102 LED40/830 II DW PCC SI LS-6 62P	Silver
910500991093	BDP102 LED50/830 II DW PCC SI LS-6 62P	Silver
910500991094	BDP102 LED60/830 II DW PCC SI LS-6 62P	Silver
910500991098	BDP102 LED40/830 II DS PCC SI LS-6 62P	Silver
910500991099	BDP102 LED50/830 II DS PCC SI LS-6 62P	Silver
910500991101	BDP102 LED60/830 II DS PCC SI LS-6 62P	Silver
910500991210	BDP102 LED50/830 DS PCC GR MSP 62P	Gray
910500991211	BDP102 LED50/830 DM PCC GR MSP 62P	Gray
910500991212	BDP102 LED50/740 DS PCC GR MSP 62P	Gray
910500991213	BDP102 LED50/740 DM PCC GR MSP 62P	Gray
910925863297	BDP102 LED70/740 DRW PCC GR D9 62P	Gray
910925866483	BDP102 LED60/740 DW PCC SI 62P	Silver
910925866548	BDP102 LED50/830 DS PCC GR MSP 62P	Gray
910925866549	BDP102 LED50/830 DM PCC GR MSP 62P	Gray
910925866550	BDP102 LED50/740 DS PCC GR MSP 62P	Gray
910925866551	BDP102 LED50/740 DM PCC GR MSP 62P	Gray
910500991023	BDP102 LED50/830 II DS PCF SI CLO-DDF1 6	Silver
910500991083	BDP102 LED40/740 II DW PCF SI LS-6 62P	Silver
910500991084	BDP102 LED50/740 II DW PCF SI LS-6 62P	Silver
910500991085	BDP102 LED60/740 II DW PCF SI LS-6 62P	Silver
910500991089	BDP102 LED40/740 II DS PCF SI LS-6 62P	Silver
910500991090	BDP102 LED50/740 II DS PCF SI LS-6 62P	Silver
910500991091	BDP102 LED60/740 II DS PCF SI LS-6 62P	Silver
910500991095	BDP102 LED40/830 II DW PCF SI LS-6 62P	Silver
910500991096	BDP102 LED50/830 II DW PCF SI LS-6 62P	Silver
910500991097	BDP102 LED60/830 II DW PCF SI LS-6 62P	Silver
910500991102	BDP102 LED40/830 II DS PCF SI LS-6 62P	Silver
910500991103	BDP102 LED50/830 II DS PCF SI LS-6 62P	Silver
910500991104	BDP102 LED60/830 II DS PCF SI LS-6 62P	Silver
910500991128	BDP102 LED20/830 DW PCF SI CLO 62P	Silver
910500991129	BDP102 LED30/830 DW PCF SI CLO 62P	Silver

Order Code	Full Product Name	Housing Color
910500991130	BDP102 LED35/830 DW PCF SI CLO 62P	Silver
910500991131	BDP102 LED50/830 DW PCF SI CLO 62P	Silver
910500991132	BDP102 LED70/830 DW PCF SI CLO 62P	Silver
910500991220	BDP102 LED20/830 II DW PCF SI LS-8 62P	Silver
910500991221	BDP102 LED20/830 II DW PCF SI 62P	Silver
910500991222	BDP102 LED35/830 II DW PCF SI LS-8 62P	Silver
910500991223	BDP102 LED35/830 II DW PCF SI 62P	Silver
910500991224	BDP102 LED60/830 II DW PCF SI LS-8 62P	Silver
910500991232	BDP102 LED40/830 II DM PCF SI 6 62P	Silver
910500991233	BDP102 LED40/740 II DM PCF SI 6 62P	Silver
910925439676	BDP102 LED40/740 II DS PCF SI 6 62P	Silver
910925439714	BDP102 LED60/740 II DS PCF SI 62P	Silver
910925866482	BDP102 LED60/740 DW PCF SI 62P	Silver
910925868224	BDP102 LED25/740 DRW PCTR GR CLO-DDF2 D1	Gray
910500991136	BDP103 LED20/830 DW PCF SI CLO 62P	Silver
910500991138	BDP103 LED35/830 DW PCF SI CLO 62P	Silver
910500991139	BDP103 LED50/830 DW PCF SI CLO 62P	Silver
910500991142	BDP103 LED120/830 DW PCF SI CLO 62P	Silver
910925866480	BDP103 LED60/740 DW PCF SI 62P	Silver
910925863301	BDP103 LED70/740 DS PCC GR D9 62P	Gray
910925866471	BDP103 LED15/740 II DRW PCC GR 62P	Gray
910925866472	BDP103 LED15/740 II DRW PCC GR 76P	Gray
910925866473	BDP103 LED25/740 II DRW PCC GR 62P	Gray
910925866474	BDP103 LED25/740 II DRW PCC GR 76P	Gray
910925866481	BDP103 LED60/740 DW PCC SI 62P	Silver
910925866624	BDP103 LED70/830 II DW PCC GR 62P	Gray
910500991024	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	Silver
910925863302	BDP104 LED70/740 DRW PCC GR D9 62P	Gray
910925866479	BDP104 LED60/740 DW PCC SI 62P	Silver
910500991025	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	Silver
910500991059	BDP100 LED40/740 II DW PCF SI LS-6 62P	Silver
910500991147	BDP104 LED50/830 DW PCF SI CLO 62P	Silver
910500991149	BDP104 LED100/830 DW PCF SI CLO 62P	Silver
910925866478	BDP104 LED60/740 DW PCF SI 62P	Silver

### Approval and Application

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925863304	BDP105 LED70/740 DS PCC GR D9 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866477	BDP105 LED60/740 DW PCC SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866625	BDP105 LED50/830 II DW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866626	BDP105 LED70/830 II DW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925866627	BDP105 LED70/830 II DS PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991009	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991010	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991056	BDP100 LED40/740 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode



## TownGuide Performer

Order Code	Full Product Name	Surge Protection (Common/Differential)	Order Code	Full Product Name	Surge Protection (Common/Differential)
910500991057	BDP100 LED50/740 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866277	BDP100 LED50/740 II DW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991058	BDP100 LED60/740 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866278	BDP100 LED70/740 II DW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991062	BDP100 LED40/740 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866282	BDP100 LED30/740 II DS PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991063	BDP100 LED50/740 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866283	BDP100 LED50/740 II DS PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991064	BDP100 LED60/740 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866284	BDP100 LED70/740 II DS PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991068	BDP100 LED40/830 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866288	BDP100 LED50/830 II DW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991069	BDP100 LED50/830 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866289	BDP100 LED70/830 II DW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991070	BDP100 LED60/830 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866293	BDP100 LED30/830 II DS PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991074	BDP100 LED40/830 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866294	BDP100 LED50/830 II DS PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991075	BDP100 LED50/830 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866295	BDP100 LED70/830 II DS PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991076	BDP100 LED60/830 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866302	BDP100 LED40/740 II DS PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991164	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866303	BDP100 LED40/740 II DW PCC GR MSP 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925452181	BDP100 LED40/740 DS PCC GR DDF27 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866305	BDP100 LED50/830 II DS PCC GR MSP 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925452182	BDP100 LED80/740 DS PCC GR DDF27 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866487	BDP100 LED60/740 DW PCC SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925863295	BDP100 LED70/740 DS PCC GR D9 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866546	BDP100 LED40/830 DS PCC GR MSP 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866272	BDP100 LED40/830 II DW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866547	BDP100 LED40/740 DS PCC GR MSP 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866276	BDP100 LED40/740 II DW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925867796	BDP100 LED120/740 II DRW PCC GR-900 D11	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode

## TownGuide Performer

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925867797	BDP100 LED120/740 II DRW PCC GR-900 D11	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925867798	BDP100 LED70/740 II DRW PCC GR-900 D11 5	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925867799	BDP100 LED70/740 II DRW PCC GR-900 D11 5	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925868057	BDP100 LED40/730 II DW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925868060	BDP100 LED50/730 II DS PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925868063	BDP100 LED50/730 II DW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925868066	BDP100 LED70/730 II DS PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925868067	BDP100 LED70/730 II DW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925868095	BDP100 LED40/830 DS PCC ALU 76P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991011	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991060	BDP100 LED50/740 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991061	BDP100 LED60/740 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991065	BDP100 LED40/740 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991066	BDP100 LED50/740 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991067	BDP100 LED60/740 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991071	BDP100 LED40/830 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991072	BDP100 LED50/830 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
910500991073	BDP100 LED60/830 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991077	BDP100 LED40/830 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991078	BDP100 LED50/830 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991079	BDP100 LED60/830 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991112	BDP100 LED20/830 DW PCF SI CLO 62P	Luminaire surge protection level until 4 kV differential mode and 4 kV common mode
910500991115	BDP100 LED50/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991117	BDP100 LED100/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991153	BDP100 LED50/740 DW PCF SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991190	BDP100 LED30/740 II DS PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925439711	BDP100 LED60/740 II DS PCF SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925439715	BDP100 LED60/830 II DS PCF SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866273	BDP100 LED50/830 II DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866279	BDP100 LED30/740 II DW PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866281	BDP100 LED70/740 II DW PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866285	BDP100 LED30/740 II DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866286	BDP100 LED50/740 II DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866287	BDP100 LED70/740 II DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode



## TownGuide Performer

Order Code	Full Product Name	Surge Protection (Common/Differential)	Order Code	Full Product Name	Surge Protection (Common/Differential)
910925866290	BDP100 LED30/830 II DW PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991226	BDP101 LED60/830 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866291	BDP100 LED50/830 II DW PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991228	BDP101 LED60/830 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866292	BDP100 LED70/830 II DW PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991230	BDP101 LED40/830 II DM PCF SI 6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866296	BDP100 LED30/830 II DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991231	BDP101 LED40/740 II DM PCF SI 6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866297	BDP100 LED70/830 II DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925439673	BDP101 LED40/830 II DS PCF SI 6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866298	BDP100 LED20/830 DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866275	BDP101 LED50/830 II DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866299	BDP100 LED30/830 DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866484	BDP101 LED60/740 DW PCF SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866301	BDP100 LED40/830 DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991014	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866486	BDP100 LED60/740 DW PCF SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866274	BDP101 LED40/830 II DW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925868223	BDP100 LED70/730 II DM PCTR GR D9 SDM10	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866304	BDP101 LED40/740 II DS PCC GR MSP 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991015	BDP101 LED60/830 II DS PCF SI CLO-DDF2 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866485	BDP101 LED60/740 DW PCC SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991121	BDP101 LED30/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991021	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991122	BDP101 LED35/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991080	BDP102 LED40/740 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991125	BDP101 LED100/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991081	BDP102 LED50/740 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991214	BDP101 LED20/830 II DW PCF SI LS-8 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991082	BDP102 LED60/740 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991216	BDP101 LED35/830 II DW PCF SI LS-8 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991086	BDP102 LED40/740 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991218	BDP101 LED60/830 II DW PCF SI LS-8 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991087	BDP102 LED50/740 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode

## TownGuide Performer

Order Code	Full Product Name	Surge Protection (Common/Differential)
910500991088	BDP102 LED60/740 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991092	BDP102 LED40/830 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991093	BDP102 LED50/830 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991094	BDP102 LED60/830 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991098	BDP102 LED40/830 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991099	BDP102 LED50/830 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991101	BDP102 LED60/830 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991210	BDP102 LED50/830 DS PCC GR MSP 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991211	BDP102 LED50/830 DM PCC GR MSP 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991212	BDP102 LED50/740 DS PCC GR MSP 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991213	BDP102 LED50/740 DM PCC GR MSP 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925863297	BDP102 LED70/740 DRW PCC GR D9 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866483	BDP102 LED60/740 DW PCC SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866548	BDP102 LED50/830 DS PCC GR MSP 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866549	BDP102 LED50/830 DM PCC GR MSP 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866550	BDP102 LED50/740 DS PCC GR MSP 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866551	BDP102 LED50/740 DM PCC GR MSP 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
910500991023	BDP102 LED50/830 II DS PCF SI CLO-DDF1 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991083	BDP102 LED40/740 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991084	BDP102 LED50/740 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991085	BDP102 LED60/740 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991089	BDP102 LED40/740 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991090	BDP102 LED50/740 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991091	BDP102 LED60/740 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991095	BDP102 LED40/830 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991096	BDP102 LED50/830 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991097	BDP102 LED60/830 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991102	BDP102 LED40/830 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991103	BDP102 LED50/830 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991104	BDP102 LED60/830 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991128	BDP102 LED20/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991129	BDP102 LED30/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991130	BDP102 LED35/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991131	BDP102 LED50/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode

## TownGuide Performer

Order Code	Full Product Name	Surge Protection (Common/Differential)	Order Code	Full Product Name	Surge Protection (Common/Differential)
910500991132	BDP102 LED70/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866480	BDP103 LED60/740 DW PCF SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991220	BDP102 LED20/830 II DW PCF SI LS-8 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925863301	BDP103 LED70/740 DS PCC GR D9 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991221	BDP102 LED20/830 II DW PCF SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866471	BDP103 LED15/740 II DRW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991222	BDP102 LED35/830 II DW PCF SI LS-8 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866472	BDP103 LED15/740 II DRW PCC GR 76P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991223	BDP102 LED35/830 II DW PCF SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866473	BDP103 LED25/740 II DRW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991224	BDP102 LED60/830 II DW PCF SI LS-8 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866474	BDP103 LED25/740 II DRW PCC GR 76P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991232	BDP102 LED40/830 II DM PCF SI 6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866481	BDP103 LED60/740 DW PCC SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991233	BDP102 LED40/740 II DM PCF SI 6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866624	BDP103 LED70/830 II DW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925439676	BDP102 LED40/740 II DS PCF SI 6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991024	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925439714	BDP102 LED60/740 II DS PCF SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925863302	BDP104 LED70/740 DRW PCC GR D9 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925866482	BDP102 LED60/740 DW PCF SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866479	BDP104 LED60/740 DW PCC SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910925868224	BDP102 LED25/740 DRW PCTR GR CLO-DDF2 D1	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991025	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991136	BDP103 LED20/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991059	BDP100 LED40/740 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991138	BDP103 LED35/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991147	BDP104 LED50/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991139	BDP103 LED50/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910500991149	BDP104 LED100/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
910500991142	BDP103 LED120/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	910925866478	BDP104 LED60/740 DW PCF SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode

### Over Time Performance (IEC Compliant)

## TownGuide Performer

Order Code	Full Product Name	Driver failure rate at 5000 h
910925863304	BDP105 LED70/740 DS PCC GR D9 62P	0.5 %
910925866477	BDP105 LED60/740 DW PCC SI 62P	0.5 %
910925866625	BDP105 LED50/830 II DW PCC GR 62P	0.5 %
910925866626	BDP105 LED70/830 II DW PCC GR 62P	0.5 %
910925866627	BDP105 LED70/830 II DS PCC GR 62P	0.5 %
910500991009	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	0.5 %
910500991010	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	0.5 %
910500991056	BDP100 LED40/740 II DW PCC SI LS-6 62P	0.5 %
910500991057	BDP100 LED50/740 II DW PCC SI LS-6 62P	0.5 %
910500991058	BDP100 LED60/740 II DW PCC SI LS-6 62P	0.5 %
910500991062	BDP100 LED40/740 II DS PCC SI LS-6 62P	0.5 %
910500991063	BDP100 LED50/740 II DS PCC SI LS-6 62P	0.5 %
910500991064	BDP100 LED60/740 II DS PCC SI LS-6 62P	0.5 %
910500991068	BDP100 LED40/830 II DW PCC SI LS-6 62P	0.5 %
910500991069	BDP100 LED50/830 II DW PCC SI LS-6 62P	0.5 %
910500991070	BDP100 LED60/830 II DW PCC SI LS-6 62P	0.5 %
910500991074	BDP100 LED40/830 II DS PCC SI LS-6 62P	0.5 %
910500991075	BDP100 LED50/830 II DS PCC SI LS-6 62P	0.5 %
910500991076	BDP100 LED60/830 II DS PCC SI LS-6 62P	0.5 %
910500991164	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	0.5 %
910925452181	BDP100 LED40/740 DS PCC GR DDF27 62P	0.5 %
910925452182	BDP100 LED80/740 DS PCC GR DDF27 62P	0.5 %
910925863295	BDP100 LED70/740 DS PCC GR D9 62P	0.5 %
910925866272	BDP100 LED40/830 II DW PCC GR 62P	0.5 %
910925866276	BDP100 LED40/740 II DW PCC GR 62P	0.5 %
910925866277	BDP100 LED50/740 II DW PCC GR 62P	0.5 %
910925866278	BDP100 LED70/740 II DW PCC GR 62P	0.5 %
910925866282	BDP100 LED30/740 II DS PCC GR 62P	0.5 %
910925866283	BDP100 LED50/740 II DS PCC GR 62P	0.5 %
910925866284	BDP100 LED70/740 II DS PCC GR 62P	0.5 %
910925866288	BDP100 LED50/830 II DW PCC GR 62P	0.5 %
910925866289	BDP100 LED70/830 II DW PCC GR 62P	0.5 %
910925866293	BDP100 LED30/830 II DS PCC GR 62P	0.5 %
910925866294	BDP100 LED50/830 II DS PCC GR 62P	0.5 %
910925866295	BDP100 LED70/830 II DS PCC GR 62P	0.5 %
910925866302	BDP100 LED40/740 II DS PCC GR 62P	0.5 %
910925866303	BDP100 LED40/740 II DW PCC GR MSP 62P	0.5 %
910925866305	BDP100 LED50/830 II DS PCC GR MSP 62P	0.5 %
910925866487	BDP100 LED60/740 DW PCC SI 62P	0.5 %
910925866546	BDP100 LED40/830 DS PCC GR MSP 62P	0.5 %
910925866547	BDP100 LED40/740 DS PCC GR MSP 62P	0.5 %
910925867796	BDP100 LED120/740 II DRW PCC GR-900 D11	0.5 %
910925867797	BDP100 LED120/740 II DRW PCC GR-900 D11	0.5 %
910925867798	BDP100 LED70/740 II DRW PCC GR-900 D11 5	0.5 %
910925867799	BDP100 LED70/740 II DRW PCC GR-900 D11 5	0.5 %
910925868057	BDP100 LED40/730 II DW PCC GR 62P	-
910925868060	BDP100 LED50/730 II DS PCC GR 62P	-
910925868063	BDP100 LED50/730 II DW PCC GR 62P	-
910925868066	BDP100 LED70/730 II DS PCC GR 62P	-
910925868067	BDP100 LED70/730 II DW PCC GR 62P	-
910925868095	BDP100 LED40/830 DS PCC ALU 76P	-

Order Code	Full Product Name	Driver failure rate at 5000 h
910500991011	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	0.5 %
910500991060	BDP100 LED50/740 II DW PCF SI LS-6 62P	0.5 %
910500991061	BDP100 LED60/740 II DW PCF SI LS-6 62P	0.5 %
910500991065	BDP100 LED40/740 II DS PCF SI LS-6 62P	0.5 %
910500991066	BDP100 LED50/740 II DS PCF SI LS-6 62P	0.5 %
910500991067	BDP100 LED60/740 II DS PCF SI LS-6 62P	0.5 %
910500991071	BDP100 LED40/830 II DW PCF SI LS-6 62P	0.5 %
910500991072	BDP100 LED50/830 II DW PCF SI LS-6 62P	0.5 %
910500991073	BDP100 LED60/830 II DW PCF SI LS-6 62P	0.5 %
910500991077	BDP100 LED40/830 II DS PCF SI LS-6 62P	0.5 %
910500991078	BDP100 LED50/830 II DS PCF SI LS-6 62P	0.5 %
910500991079	BDP100 LED60/830 II DS PCF SI LS-6 62P	0.5 %
910500991112	BDP100 LED20/830 DW PCF SI CLO 62P	0.5 %
910500991115	BDP100 LED50/830 DW PCF SI CLO 62P	0.5 %
910500991117	BDP100 LED100/830 DW PCF SI CLO 62P	0.5 %
910500991153	BDP100 LED50/740 DW PCF SI 62P	0.5 %
910500991190	BDP100 LED30/740 II DS PCF SI CLO 62P	0.5 %
910925439711	BDP100 LED60/740 II DS PCF SI 62P	0.5 %
910925439715	BDP100 LED60/830 II DS PCF SI 62P	0.5 %
910925866273	BDP100 LED50/830 II DS PCF GR 62P	0.5 %
910925866279	BDP100 LED30/740 II DW PCF GR 62P	0.5 %
910925866281	BDP100 LED70/740 II DW PCF GR 62P	0.5 %
910925866285	BDP100 LED30/740 II DS PCF GR 62P	0.5 %
910925866286	BDP100 LED50/740 II DS PCF GR 62P	0.5 %
910925866287	BDP100 LED70/740 II DS PCF GR 62P	0.5 %
910925866290	BDP100 LED30/830 II DW PCF GR 62P	0.5 %
910925866291	BDP100 LED50/830 II DW PCF GR 62P	0.5 %
910925866292	BDP100 LED70/830 II DW PCF GR 62P	0.5 %
910925866296	BDP100 LED30/830 II DS PCF GR 62P	0.5 %
910925866297	BDP100 LED70/830 II DS PCF GR 62P	0.5 %
910925866298	BDP100 LED20/830 DS PCF GR 62P	0.5 %
910925866299	BDP100 LED30/830 DS PCF GR 62P	0.5 %
910925866301	BDP100 LED40/830 DS PCF GR 62P	0.5 %
910925866486	BDP100 LED60/740 DW PCF SI 62P	0.5 %
910925868223	BDP100 LED70/730 II DM PCTR GR D9 SDM10	-
910500991015	BDP101 LED60/830 II DS PCF SI CLO-DDF2 6	0.5 %
910500991121	BDP101 LED30/830 DW PCF SI CLO 62P	0.5 %
910500991122	BDP101 LED35/830 DW PCF SI CLO 62P	0.5 %
910500991125	BDP101 LED100/830 DW PCF SI CLO 62P	0.5 %
910500991214	BDP101 LED20/830 II DW PCF SI LS-8 62P	0.5 %
910500991216	BDP101 LED35/830 II DW PCF SI LS-8 62P	0.5 %
910500991218	BDP101 LED60/830 II DW PCF SI LS-8 62P	0.5 %
910500991226	BDP101 LED60/830 II DW PCF SI LS-6 62P	0.5 %
910500991228	BDP101 LED60/830 II DS PCF SI LS-6 62P	0.5 %
910500991230	BDP101 LED40/830 II DM PCF SI 6 62P	0.5 %
910500991231	BDP101 LED40/740 II DM PCF SI 6 62P	0.5 %
910925439673	BDP101 LED40/830 II DS PCF SI 6 62P	0.5 %
910925866275	BDP101 LED50/830 II DS PCF GR 62P	0.5 %
910925866484	BDP101 LED60/740 DW PCF SI 62P	0.5 %
910500991014	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	0.5 %
910925866274	BDP101 LED40/830 II DW PCC GR 62P	0.5 %

## TownGuide Performer

Order Code	Full Product Name	Driver failure rate at 5000 h
910925866304	BDP101 LED40/740 II DS PCC GR MSP 62P	0.5 %
910925866485	BDP101 LED60/740 DW PCC SI 62P	0.5 %
910500991021	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	0.5 %
910500991080	BDP102 LED40/740 II DW PCC SI LS-6 62P	0.5 %
910500991081	BDP102 LED50/740 II DW PCC SI LS-6 62P	0.5 %
910500991082	BDP102 LED60/740 II DW PCC SI LS-6 62P	0.5 %
910500991086	BDP102 LED40/740 II DS PCC SI LS-6 62P	0.5 %
910500991087	BDP102 LED50/740 II DS PCC SI LS-6 62P	0.5 %
910500991088	BDP102 LED60/740 II DS PCC SI LS-6 62P	0.5 %
910500991092	BDP102 LED40/830 II DW PCC SI LS-6 62P	0.5 %
910500991093	BDP102 LED50/830 II DW PCC SI LS-6 62P	0.5 %
910500991094	BDP102 LED60/830 II DW PCC SI LS-6 62P	0.5 %
910500991098	BDP102 LED40/830 II DS PCC SI LS-6 62P	0.5 %
910500991099	BDP102 LED50/830 II DS PCC SI LS-6 62P	0.5 %
910500991101	BDP102 LED60/830 II DS PCC SI LS-6 62P	0.5 %
910500991210	BDP102 LED50/830 DS PCC GR MSP 62P	0.5 %
910500991211	BDP102 LED50/830 DM PCC GR MSP 62P	0.5 %
910500991212	BDP102 LED50/740 DS PCC GR MSP 62P	0.5 %
910500991213	BDP102 LED50/740 DM PCC GR MSP 62P	0.5 %
910925863297	BDP102 LED70/740 DRW PCC GR D9 62P	0.5 %
910925866483	BDP102 LED60/740 DW PCC SI 62P	0.5 %
910925866548	BDP102 LED50/830 DS PCC GR MSP 62P	0.5 %
910925866549	BDP102 LED50/830 DM PCC GR MSP 62P	0.5 %
910925866550	BDP102 LED50/740 DS PCC GR MSP 62P	0.5 %
910925866551	BDP102 LED50/740 DM PCC GR MSP 62P	0.5 %
910500991023	BDP102 LED50/830 II DS PCF SI CLO-DDF1 6	0.5 %
910500991083	BDP102 LED40/740 II DW PCF SI LS-6 62P	0.5 %
910500991084	BDP102 LED50/740 II DW PCF SI LS-6 62P	0.5 %
910500991085	BDP102 LED60/740 II DW PCF SI LS-6 62P	0.5 %
910500991089	BDP102 LED40/740 II DS PCF SI LS-6 62P	0.5 %
910500991090	BDP102 LED50/740 II DS PCF SI LS-6 62P	0.5 %
910500991091	BDP102 LED60/740 II DS PCF SI LS-6 62P	0.5 %
910500991095	BDP102 LED40/830 II DW PCF SI LS-6 62P	0.5 %
910500991096	BDP102 LED50/830 II DW PCF SI LS-6 62P	0.5 %
910500991097	BDP102 LED60/830 II DW PCF SI LS-6 62P	0.5 %
910500991102	BDP102 LED40/830 II DS PCF SI LS-6 62P	0.5 %
910500991103	BDP102 LED50/830 II DS PCF SI LS-6 62P	0.5 %
910500991104	BDP102 LED60/830 II DS PCF SI LS-6 62P	0.5 %

Order Code	Full Product Name	Driver failure rate at 5000 h
910500991128	BDP102 LED20/830 DW PCF SI CLO 62P	0.5 %
910500991129	BDP102 LED30/830 DW PCF SI CLO 62P	0.5 %
910500991130	BDP102 LED35/830 DW PCF SI CLO 62P	0.5 %
910500991131	BDP102 LED50/830 DW PCF SI CLO 62P	0.5 %
910500991132	BDP102 LED70/830 DW PCF SI CLO 62P	0.5 %
910500991220	BDP102 LED20/830 II DW PCF SI LS-8 62P	0.5 %
910500991221	BDP102 LED20/830 II DW PCF SI 62P	0.5 %
910500991222	BDP102 LED35/830 II DW PCF SI LS-8 62P	0.5 %
910500991223	BDP102 LED35/830 II DW PCF SI 62P	0.5 %
910500991224	BDP102 LED60/830 II DW PCF SI LS-8 62P	0.5 %
910500991232	BDP102 LED40/830 II DM PCF SI 6 62P	0.5 %
910500991233	BDP102 LED40/740 II DM PCF SI 6 62P	0.5 %
910925439676	BDP102 LED40/740 II DS PCF SI 6 62P	0.5 %
910925439714	BDP102 LED60/740 II DS PCF SI 62P	0.5 %
910925866482	BDP102 LED60/740 DW PCF SI 62P	0.5 %
910925868224	BDP102 LED25/740 DRW PCTR GR CLO-DDF2 D1	-
910500991136	BDP103 LED20/830 DW PCF SI CLO 62P	0.5 %
910500991138	BDP103 LED35/830 DW PCF SI CLO 62P	0.5 %
910500991139	BDP103 LED50/830 DW PCF SI CLO 62P	0.5 %
910500991142	BDP103 LED120/830 DW PCF SI CLO 62P	0.5 %
910925866480	BDP103 LED60/740 DW PCF SI 62P	0.5 %
910925863301	BDP103 LED70/740 DS PCC GR D9 62P	0.5 %
910925866471	BDP103 LED15/740 II DRW PCC GR 62P	0.5 %
910925866472	BDP103 LED15/740 II DRW PCC GR 76P	0.5 %
910925866473	BDP103 LED25/740 II DRW PCC GR 62P	0.5 %
910925866474	BDP103 LED25/740 II DRW PCC GR 76P	0.5 %
910925866481	BDP103 LED60/740 DW PCC SI 62P	0.5 %
910925866624	BDP103 LED70/830 II DW PCC GR 62P	0.5 %
910500991024	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	0.5 %
910925863302	BDP104 LED70/740 DRW PCC GR D9 62P	0.5 %
910925866479	BDP104 LED60/740 DW PCC SI 62P	0.5 %
910500991025	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	0.5 %
910500991059	BDP100 LED40/740 II DW PCF SI LS-6 62P	0.5 %
910500991147	BDP104 LED50/830 DW PCF SI CLO 62P	0.5 %
910500991149	BDP104 LED100/830 DW PCF SI CLO 62P	0.5 %
910925866478	BDP104 LED60/740 DW PCF SI 62P	0.5 %

### Application Conditions

Order Code	Full Product Name	Maximum dim level
910925863304	BDP105 LED70/740 DS PCC GR D9 62P	0% (digital)
910925866477	BDP105 LED60/740 DW PCC SI 62P	Not applicable
910925866625	BDP105 LED50/830 II DW PCC GR 62P	Not applicable
910925866626	BDP105 LED70/830 II DW PCC GR 62P	Not applicable
910925866627	BDP105 LED70/830 II DS PCC GR 62P	Not applicable
910500991009	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	50%
910500991010	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	50%
910500991056	BDP100 LED40/740 II DW PCC SI LS-6 62P	50%
910500991057	BDP100 LED50/740 II DW PCC SI LS-6 62P	50%

Order Code	Full Product Name	Maximum dim level
910500991058	BDP100 LED60/740 II DW PCC SI LS-6 62P	50%
910500991062	BDP100 LED40/740 II DS PCC SI LS-6 62P	50%
910500991063	BDP100 LED50/740 II DS PCC SI LS-6 62P	50%
910500991064	BDP100 LED60/740 II DS PCC SI LS-6 62P	50%
910500991068	BDP100 LED40/830 II DW PCC SI LS-6 62P	50%
910500991069	BDP100 LED50/830 II DW PCC SI LS-6 62P	50%
910500991070	BDP100 LED60/830 II DW PCC SI LS-6 62P	50%
910500991074	BDP100 LED40/830 II DS PCC SI LS-6 62P	50%
910500991075	BDP100 LED50/830 II DS PCC SI LS-6 62P	50%

## TownGuide Performer

Order Code	Full Product Name	Maximum dim level
910500991076	BDP100 LED60/830 II DS PCC SI LS-6 62P	50%
910500991164	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	50%
910925452181	BDP100 LED40/740 DS PCC GR DDF27 62P	50%
910925452182	BDP100 LED80/740 DS PCC GR DDF27 62P	50%
9109258663295	BDP100 LED70/740 DS PCC GR D9 62P	0% (digital)
910925866272	BDP100 LED40/830 II DW PCC GR 62P	Not applicable
910925866276	BDP100 LED40/740 II DW PCC GR 62P	Not applicable
910925866277	BDP100 LED50/740 II DW PCC GR 62P	Not applicable
910925866278	BDP100 LED70/740 II DW PCC GR 62P	Not applicable
910925866282	BDP100 LED30/740 II DS PCC GR 62P	Not applicable
910925866283	BDP100 LED50/740 II DS PCC GR 62P	Not applicable
910925866284	BDP100 LED70/740 II DS PCC GR 62P	Not applicable
910925866288	BDP100 LED50/830 II DW PCC GR 62P	Not applicable
910925866289	BDP100 LED70/830 II DW PCC GR 62P	Not applicable
910925866293	BDP100 LED30/830 II DS PCC GR 62P	Not applicable
910925866294	BDP100 LED50/830 II DS PCC GR 62P	Not applicable
910925866295	BDP100 LED70/830 II DS PCC GR 62P	Not applicable
910925866302	BDP100 LED40/740 II DS PCC GR 62P	Not applicable
910925866303	BDP100 LED40/740 II DW PCC GR MSP 62P	Not applicable
910925866305	BDP100 LED50/830 II DS PCC GR MSP 62P	Not applicable
910925866487	BDP100 LED60/740 DW PCC SI 62P	Not applicable
910925866546	BDP100 LED40/830 DS PCC GR MSP 62P	Not applicable
910925866547	BDP100 LED40/740 DS PCC GR MSP 62P	Not applicable
910925867796	BDP100 LED120/740 II DRW PCC GR-900 D11	50%
910925867797	BDP100 LED120/740 II DRW PCC GR-900 D11	50%
910925867798	BDP100 LED70/740 II DRW PCC GR-900 D11 5	50%
910925867799	BDP100 LED70/740 II DRW PCC GR-900 D11 5	50%
910925868057	BDP100 LED40/730 II DW PCC GR 62P	Not applicable
910925868060	BDP100 LED50/730 II DS PCC GR 62P	Not applicable
910925868063	BDP100 LED50/730 II DW PCC GR 62P	Not applicable
910925868066	BDP100 LED70/730 II DS PCC GR 62P	Not applicable
910925868067	BDP100 LED70/730 II DW PCC GR 62P	Not applicable
910925868095	BDP100 LED40/830 DS PCC ALU 76P	Not applicable
910500991011	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	50%
910500991060	BDP100 LED50/740 II DW PCF SI LS-6 62P	50%
910500991061	BDP100 LED60/740 II DW PCF SI LS-6 62P	50%
910500991065	BDP100 LED40/740 II DS PCF SI LS-6 62P	50%
910500991066	BDP100 LED50/740 II DS PCF SI LS-6 62P	50%
910500991067	BDP100 LED60/740 II DS PCF SI LS-6 62P	50%
910500991071	BDP100 LED40/830 II DW PCF SI LS-6 62P	50%
910500991072	BDP100 LED50/830 II DW PCF SI LS-6 62P	50%
910500991073	BDP100 LED60/830 II DW PCF SI LS-6 62P	50%
910500991077	BDP100 LED40/830 II DS PCF SI LS-6 62P	50%
910500991078	BDP100 LED50/830 II DS PCF SI LS-6 62P	50%
910500991079	BDP100 LED60/830 II DS PCF SI LS-6 62P	50%
910500991112	BDP100 LED20/830 DW PCF SI CLO 62P	Not applicable
910500991115	BDP100 LED50/830 DW PCF SI CLO 62P	Not applicable
910500991117	BDP100 LED100/830 DW PCF SI CLO 62P	Not applicable
910500991153	BDP100 LED50/740 DW PCF SI 62P	Not applicable
910500991190	BDP100 LED30/740 II DS PCF SI CLO 62P	Not applicable
910925439711	BDP100 LED60/740 II DS PCF SI 62P	Not applicable
910925439715	BDP100 LED60/830 II DS PCF SI 62P	Not applicable

Order Code	Full Product Name	Maximum dim level
910925866273	BDP100 LED50/830 II DS PCF GR 62P	Not applicable
910925866279	BDP100 LED30/740 II DW PCF GR 62P	Not applicable
910925866281	BDP100 LED70/740 II DW PCF GR 62P	Not applicable
910925866285	BDP100 LED30/740 II DS PCF GR 62P	Not applicable
910925866286	BDP100 LED50/740 II DS PCF GR 62P	Not applicable
910925866287	BDP100 LED70/740 II DS PCF GR 62P	Not applicable
910925866290	BDP100 LED30/830 II DW PCF GR 62P	Not applicable
910925866291	BDP100 LED50/830 II DW PCF GR 62P	Not applicable
910925866292	BDP100 LED70/830 II DW PCF GR 62P	Not applicable
910925866296	BDP100 LED30/830 II DS PCF GR 62P	Not applicable
910925866297	BDP100 LED70/830 II DS PCF GR 62P	Not applicable
910925866298	BDP100 LED20/830 DS PCF GR 62P	Not applicable
910925866299	BDP100 LED30/830 DS PCF GR 62P	Not applicable
910925866301	BDP100 LED40/830 DS PCF GR 62P	Not applicable
910925866486	BDP100 LED60/740 DW PCF SI 62P	Not applicable
910925868223	BDP100 LED70/730 II DM PCTR GR D9 SDM10	Not applicable
910500991015	BDP101 LED60/830 II DS PCF SI CLO-DDF2 6	50%
910500991121	BDP101 LED30/830 DW PCF SI CLO 62P	Not applicable
910500991122	BDP101 LED35/830 DW PCF SI CLO 62P	Not applicable
910500991125	BDP101 LED100/830 DW PCF SI CLO 62P	Not applicable
910500991214	BDP101 LED20/830 II DW PCF SI LS-8 62P	50%
910500991216	BDP101 LED35/830 II DW PCF SI LS-8 62P	50%
910500991218	BDP101 LED60/830 II DW PCF SI LS-8 62P	50%
910500991226	BDP101 LED60/830 II DW PCF SI LS-6 62P	50%
910500991228	BDP101 LED60/830 II DS PCF SI LS-6 62P	50%
910500991230	BDP101 LED40/830 II DM PCF SI 6 62P	Not applicable
910500991231	BDP101 LED40/740 II DM PCF SI 6 62P	Not applicable
910925439673	BDP101 LED40/830 II DS PCF SI 6 62P	Not applicable
910925866275	BDP101 LED50/830 II DS PCF GR 62P	Not applicable
910925866484	BDP101 LED60/740 DW PCF SI 62P	Not applicable
910500991014	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	50%
910925866274	BDP101 LED40/830 II DW PCC GR 62P	Not applicable
910925866304	BDP101 LED40/740 II DS PCC GR MSP 62P	Not applicable
910925866485	BDP101 LED60/740 DW PCC SI 62P	Not applicable
910500991021	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	50%
910500991080	BDP102 LED40/740 II DW PCC SI LS-6 62P	50%
910500991081	BDP102 LED50/740 II DW PCC SI LS-6 62P	50%
910500991082	BDP102 LED60/740 II DW PCC SI LS-6 62P	50%
910500991086	BDP102 LED40/740 II DS PCC SI LS-6 62P	50%
910500991087	BDP102 LED50/740 II DS PCC SI LS-6 62P	50%
910500991088	BDP102 LED60/740 II DS PCC SI LS-6 62P	50%
910500991092	BDP102 LED40/830 II DW PCC SI LS-6 62P	50%
910500991093	BDP102 LED50/830 II DW PCC SI LS-6 62P	50%
910500991094	BDP102 LED60/830 II DW PCC SI LS-6 62P	50%
910500991098	BDP102 LED40/830 II DS PCC SI LS-6 62P	50%
910500991099	BDP102 LED50/830 II DS PCC SI LS-6 62P	50%
910500991101	BDP102 LED60/830 II DS PCC SI LS-6 62P	50%
910500991210	BDP102 LED50/830 DS PCC GR MSP 62P	Not applicable
910500991211	BDP102 LED50/830 DM PCC GR MSP 62P	Not applicable
910500991212	BDP102 LED50/740 DS PCC GR MSP 62P	Not applicable
910500991213	BDP102 LED50/740 DM PCC GR MSP 62P	Not applicable
9109258663297	BDP102 LED70/740 DRW PCC GR D9 62P	0% (digital)



## TownGuide Performer

Order Code	Full Product Name	Maximum dim level	Order Code	Full Product Name	Maximum dim level
910925866483	BDP102 LED60/740 DW PCC SI 62P	Not applicable	910500991232	BDP102 LED40/830 II DM PCF SI 6 62P	Not applicable
910925866548	BDP102 LED50/830 DS PCC GR MSP 62P	Not applicable	910500991233	BDP102 LED40/740 II DM PCF SI 6 62P	Not applicable
910925866549	BDP102 LED50/830 DM PCC GR MSP 62P	Not applicable	910925439676	BDP102 LED40/740 II DS PCF SI 6 62P	Not applicable
910925866550	BDP102 LED50/740 DS PCC GR MSP 62P	Not applicable	910925439714	BDP102 LED60/740 II DS PCF SI 62P	Not applicable
910925866551	BDP102 LED50/740 DM PCC GR MSP 62P	Not applicable	910925866482	BDP102 LED60/740 DW PCF SI 62P	Not applicable
910500991023	BDP102 LED50/830 II DS PCF SI CLO-DDF1 6	50%	910925868224	BDP102 LED25/740 DRW PCTR GR CLO-DDF2 D1	50%
910500991083	BDP102 LED40/740 II DW PCF SI LS-6 62P	50%	910500991136	BDP103 LED20/830 DW PCF SI CLO 62P	Not applicable
910500991084	BDP102 LED50/740 II DW PCF SI LS-6 62P	50%	910500991138	BDP103 LED35/830 DW PCF SI CLO 62P	Not applicable
910500991085	BDP102 LED60/740 II DW PCF SI LS-6 62P	50%	910500991139	BDP103 LED50/830 DW PCF SI CLO 62P	Not applicable
910500991089	BDP102 LED40/740 II DS PCF SI LS-6 62P	50%	910500991142	BDP103 LED120/830 DW PCF SI CLO 62P	Not applicable
910500991090	BDP102 LED50/740 II DS PCF SI LS-6 62P	50%	910925866480	BDP103 LED60/740 DW PCF SI 62P	Not applicable
910500991091	BDP102 LED60/740 II DS PCF SI LS-6 62P	50%	910925863301	BDP103 LED70/740 DS PCC GR D9 62P	0% (digital)
910500991095	BDP102 LED40/830 II DW PCF SI LS-6 62P	50%	910925866471	BDP103 LED15/740 II DRW PCC GR 62P	Not applicable
910500991096	BDP102 LED50/830 II DW PCF SI LS-6 62P	50%	910925866472	BDP103 LED15/740 II DRW PCC GR 76P	Not applicable
910500991097	BDP102 LED60/830 II DW PCF SI LS-6 62P	50%	910925866473	BDP103 LED25/740 II DRW PCC GR 62P	Not applicable
910500991102	BDP102 LED40/830 II DS PCF SI LS-6 62P	50%	910925866474	BDP103 LED25/740 II DRW PCC GR 76P	Not applicable
910500991103	BDP102 LED50/830 II DS PCF SI LS-6 62P	50%	910925866481	BDP103 LED60/740 DW PCC SI 62P	Not applicable
910500991104	BDP102 LED60/830 II DS PCF SI LS-6 62P	50%	910925866624	BDP103 LED70/830 II DW PCC GR 62P	Not applicable
910500991128	BDP102 LED20/830 DW PCF SI CLO 62P	Not applicable	910500991024	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	50%
910500991129	BDP102 LED30/830 DW PCF SI CLO 62P	Not applicable	910925863302	BDP104 LED70/740 DRW PCC GR D9 62P	0% (digital)
910500991130	BDP102 LED35/830 DW PCF SI CLO 62P	Not applicable	910925866479	BDP104 LED60/740 DW PCC SI 62P	Not applicable
910500991131	BDP102 LED50/830 DW PCF SI CLO 62P	Not applicable	910500991025	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	50%
910500991132	BDP102 LED70/830 DW PCF SI CLO 62P	Not applicable	910500991059	BDP100 LED40/740 II DW PCF SI LS-6 62P	50%
910500991220	BDP102 LED20/830 II DW PCF SI LS-8 62P	50%	910500991147	BDP104 LED50/830 DW PCF SI CLO 62P	Not applicable
910500991221	BDP102 LED20/830 II DW PCF SI 62P	Not applicable	910500991149	BDP104 LED100/830 DW PCF SI CLO 62P	Not applicable
910500991222	BDP102 LED35/830 II DW PCF SI LS-8 62P	50%	910925866478	BDP104 LED60/740 DW PCF SI 62P	Not applicable
910500991223	BDP102 LED35/830 II DW PCF SI 62P	Not applicable			
910500991224	BDP102 LED60/830 II DW PCF SI LS-8 62P	50%			

## Polar Wide Diagrams

Polar Normal (separate) - BDP100I -  
910500991089

Polar Normal (separate) - BDP100I -  
910500991064

Polar Normal (separate) - BDP100I -  
910500991080

## Polar Wide Diagrams

Polar Normal (separate) - BDP100I -  
910500991074

Polar Normal (separate) - BDP100I -  
910500991010

Polar Normal (separate) - BDP100I -  
910500991104

Polar Normal (separate) - BDP100I -  
910500991136

Polar Normal (separate) - BDP100I -  
910500991021

Polar Normal (separate) - BDP100I -  
910500991062

Polar Normal (separate) - BDP100I -  
910500991085

Polar Normal (separate) - BDP100I -  
910500991093

Polar Normal (separate) - BDP100I -  
910500991066



## Polar Wide Diagrams

Polar Normal (separate) - BDP100I -  
910500991073

Polar Normal (separate) - BDP100I -  
910500991082

Polar Normal (separate) - BDP100I -  
910500991014

Polar Normal (separate) - BDP100I -  
910500991090

Polar Normal (separate) - BDP100I -  
910500991112

Polar Normal (separate) - BDP100I -  
910500991077

Polar Normal (separate) - BDP100I -  
910500991024

Polar Normal (separate) - BDP100I -  
910500991079

Polar Normal (separate) - BDP100I -  
910500991223

## Polar Wide Diagrams

Polar Normal (separate) - BDP100I -  
910500991103

Polar Normal (separate) - BDP100I -  
910500991149

Polar Normal (separate) - BDP100I -  
910500991069

Polar Normal (separate) - BDP100I -  
910500991084

Polar Normal (separate) - BDP100I -  
910500991071

Polar Normal (separate) - BDP100I -  
910500991078

Polar Normal (separate) - BDP100I -  
910500991081

Polar Normal (separate) - BDP100I -  
910500991086

Polar Normal (separate) - BDP100I -  
910500991083

## Polar Wide Diagrams

Polar Normal (separate) - BDP100I -  
910500991096

Polar Normal (separate) - BDP100I -  
910500991094

Polar Normal (separate) - BDP100I -  
910500991058

Polar Normal (separate) - BDP100I -  
910500991139

Polar Normal (separate) - BDP100I -  
910500991015

Polar Normal (separate) - BDP100I -  
910500991097

Polar Normal (separate) - BDP100I -  
910500991025

Polar Normal (separate) - BDP100I -  
910500991009

Polar Normal (separate) - BDP100I -  
910500991076

## Polar Wide Diagrams

Polar Normal (separate) - BDP100I -  
910500991057

Polar Normal (separate) - BDP100I -  
910500991060

Polar Normal (separate) - BDP100I -  
910500991098

Polar Normal (separate) - BDP100I -  
910500991087

Polar Normal (separate) - BDP100I -  
910500991132

Polar Normal (separate) - BDP100I -  
910500991190

Polar Normal (separate) - BDP100I -  
910500991063

Polar Normal (separate) - BDP100I -  
910500991068

Polar Normal (separate) - BDP100I -  
910500991059

## Polar Wide Diagrams

Polar Normal (separate) - BDP100I -  
910500991128

Polar Normal (separate) - BDP100I -  
910500991065

Polar Normal (separate) - BDP100I -  
910500991072

Polar Normal (separate) - BDP100I -  
910500991101

Polar Normal (separate) - BDP100I -  
910500991088

Polar Normal (separate) - BDP100I -  
910500991164

Polar Normal (separate) - BDP100I -  
910500991061

Polar Normal (separate) - BDP100I -  
910500991056

Polar Normal (separate) - BDP100I -  
910500991122

## Polar Wide Diagrams

Polar Normal (separate) - BDP100I -  
910500991091

Polar Normal (separate) - BDP100I -  
910500991125

Polar Normal (separate) - BDP100I -  
910500991095

Polar Normal (separate) - BDP100I -  
910500991129

Polar Normal (separate) - BDP100I -  
910500991210

Polar Normal (separate) - BDP100I -  
910500991067

Polar Normal (separate) - BDP100I -  
910500991121

Polar Normal (separate) - BDP100I -  
910500991147

Polar Normal (separate) - BDP100I -  
910500991070

## Polar Wide Diagrams

Polar Normal (separate) - BDP100I -  
910500991102

Polar Normal (separate) - BDP100I -  
910500991117

Polar Normal (separate) - BDP100I -  
910500991211

Polar Normal (separate) - BDP100I -  
910500991075

Polar Normal (separate) - BDP100I -  
910500991213

Polar Normal (separate) - BDP100I -  
910500991142

Polar Normal (separate) - BDP100I -  
910500991138

Polar Normal (separate) - BDP100I -  
910925866295

Polar Normal (separate) - BDP100I -  
910925866299

## Polar Wide Diagrams

Polar Normal (separate) - BDP100I -  
910925866304

Polar Normal (separate) - BDP100I -  
910925863297

Polar Normal (separate) - BDP100I -  
910925863295

Polar Normal (separate) - BDP100I -  
910925439673

Polar Normal (separate) - BDP100I -  
910925866282

Polar Normal (separate) - BDP100I -  
910925866289

Polar Normal (separate) - BDP100I -  
910925866287

Polar Normal (separate) - BDP100I -  
910925866298

Polar Normal (separate) - BDP100I -  
910925866293



## Polar Wide Diagrams

Polar Normal (separate) - BDP100I -  
910925866297

Polar Normal (separate) - BDP100I -  
910925866275

Polar Normal (separate) - BDP100I -  
910925866278

Polar Normal (separate) - BDP100I -  
910925866626

Polar Normal (separate) - BDP100I -  
910925866627

Polar Normal (separate) - BDP100I -  
910925867796

Polar Normal (separate) - BDP100I -  
910925866479

Polar Normal (separate) - BDP100I -  
910925866478

Polar Normal (separate) - BDP100I -  
910925866477

## Polar Wide Diagrams

Polar Normal (separate) - BDP100I -  
910925866480

Polar Normal (separate) - BDP100I -  
910925866484

Polar Normal (separate) - BDP100I -  
910925868114

Polar Normal (separate) - BDP100I -  
910925868115

Polar Normal (separate) - BDP100I -  
910925868116

Polar Normal (separate) - BDP100I -  
910925868810

Polar Normal (separate) - BDP100I -  
910925452182

Polar Normal (separate) - BDP100I -  
910500991218

Polar Normal (separate) - BDP100I -  
910500991214

## Polar Wide Diagrams

Polar Normal (separate) - BDP100I -  
910500991231

Polar Normal (separate) - BDP100I -  
910500991230

Polar Normal (separate) - BDP100I -  
910500991232

Polar Normal (separate) - BDP100I -  
910500991233

Polar Normal (separate) - BDP100I -  
910925863304

Polar Normal (separate) - BDP100I -  
910925863302

Polar Normal (separate) - BDP100I -  
910925866472

Polar Normal (separate) - BDP100I -  
910925866473

Polar Normal (separate) - BDP100I -  
910925866481

## Polar Wide Diagrams

Polar Normal (separate) - BDP100I -  
910925866485

Polar Normal (separate) - BDP100I -  
910925866624

Polar Normal (separate) - BDP100I -  
910925866625

Polar Normal (separate) - BDP100I -  
910925866274

Polar Normal (separate) - BDP100I -  
910925866279

Polar Normal (separate) - BDP100I -  
910925866281

Polar Normal (separate) - BDP100I -  
910925866290

Polar Normal (separate) - BDP100I -  
910925866292

Polar Normal (separate) - BDP100I -  
910925867798

# TownGuide Performer

## Polar Wide Diagrams

Polar Normal (separate) - BDP100I -  
910925868063

Polar Normal (separate) - BDP100I -  
910925868067

Polar Normal (separate) - BDP100I -  
910925868223

Polar Normal (separate) - BDP100I -  
910925868224

