



GreenPerform Batten G3 BN398C

BN398X LED40/840 L1200 L1 W OP

GreenPerform batten BN398C is a cost competitive linear solution with good performance and multiple lumen output for retail and industry applications. It offers surface mount and suspension installations to cater for different mounting options. Its multiple optic designs accommodate different applications as well.

Product data

General Information		Power Factor (Fraction)		0.95	
Light source engine type	LED	Number of products on MCB of 16 A type B	84		
Value ladder	Performance				
Light Technical		Temperature			
Luminous Flux	3,700 lumen	Ambient temperature range	-20 to +40 °C		
Correlated Color Temperature (Nom)	4000 K				
Luminous Efficacy (rated) (Nom)	140 lm/W	Controls and Dimming			
Color rendering index (CRI)	>80	Dimmable	Wireless Dim		
Light source color	840 neutral white	Control interface	BLE		
Optical cover/lens type	-				
Operating and Electrical		Mechanical and Housing			
Input Voltage	220-240 V	Housing Material	Steel		
Line Frequency	50 or 60 Hz	Optical cover/lens material	Polymethyl methacrylate		
Input Frequency	50 or 60 Hz	Housing Color	White		
Power Consumption	22.95 28.05 W	Optical cover/lens finish	Frosted		
Inrush current	8 A	Overall length	1,188 mm		
		Overall width	58 mm		
		Overall height	58 mm		

GreenPerform Batten G3 BN398C

Dimensions (Height x Width x Depth)	58 x 58 x 1188 mm
-------------------------------------	-------------------

Approval and Application

Ingress protection code	IP20 [Finger-protected]
Mech. impact protection code	IK03 [0.3 J]
Protection class IEC	Safety class I
Flammability mark	-
CE mark	CE mark

Initial Performance (IEC Compliant)

Luminous flux tolerance	+/-10%
Initial chromaticity	SDCM<5
Power consumption tolerance	+/-10%

Product Data

Full product code	692382865755000
Order product name	BN398X LED40/840 L1200 L1 W OP
Order code	911401550202
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	1
Material number (12NC)	911401550202
Full product name	BN398X LED40/840 L1200 L1 W OP
EAN/UPC - Case	6923828657550



Dimensional drawing

