



# GreenPerform Batten G3 BN398C

**BN398X LED40/865 L1200 L1 W OP**

GreenPerform batten BN398C is a cost competitive linear solution with good performance and multiple lumen output for retail and industry applications. It offers surface mount and suspension installations to cater for different mounting options. Its multiple optic designs accommodate different applications as well.

## Product data

Operating and Electrical		Light source color	
Input Voltage	220-240 V	Light source color	865 cool daylight
Line Frequency	50 or 60 Hz	Optical cover/lens type	-
Input Frequency	50 or 60 Hz	Temperature	
Power Consumption	22.95 28.05 W	Ambient temperature range	-20 to +40 °C
Inrush current	8 A	Controls and Dimming	
Power Factor (Fraction)	0.95	Dimmable	Wireless Dim
Number of products on MCB of 16 A type B	84	Control interface	BLE
General Information		Mechanical and Housing	
Light source engine type	LED	Housing Material	Steel
Value ladder	Performance	Optical cover/lens material	Polymethyl methacrylate
Light Technical		Housing Color	White
Luminous Flux	3,700 lumen	Optical cover/lens finish	Frosted
Correlated Color Temperature (Nom)	6500 K	Overall length	1,188 mm
Luminous Efficacy (rated) (Nom)	140 lm/W	Overall width	58 mm
Color rendering index (CRI)	>80	Overall height	58 mm

# GreenPerform Batten G3 BN398C

Dimensions (Height x Width x Depth)	58 x 58 x 1188 mm
-------------------------------------	-------------------

## Approval and Application

Ingress protection code	IP20 [Finger-protected]
Mech. impact protection code	IK03 [0.3 J]
Protection class IEC	Safety class I
Flammability mark	-
CE mark	CE mark

## Initial Performance (IEC Compliant)

Luminous flux tolerance	+/-10%
Initial chromaticity	SDCM<5
Power consumption tolerance	+/-10%

## Product Data

Full product code	692382865756700
Order product name	BN398X LED40/865 L1200 L1 W OP
Order code	911401550302
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	1
Material number (12NC)	911401550302
Full product name	BN398X LED40/865 L1200 L1 W OP
EAN/UPC - Case	6923828657567



## Dimensional drawing

