



GreenPerform Direct LED Panel

RC099V G2 LED36/840 PSU W60L60 OC

GreenPerform Direct LED Panel, 100 lm/W, 840 neutral white

GreenPerform RC099V G2 direct Panel is an affordable LED panel delivering comfortable light with excellent uniformity. It offers 3 types, 600x600,300x1200, and 600x1200mm with max: 110lm/w system efficacy. Its UGR19 version brings more visual comfort to the office. By means of its compact design, the housing height (without driver) reaches only 35mm which gives more flexibility for recessed installation.

Product data

General Information		Power Factor (Fraction)		0.9
Light source engine type	LED	Number of products on MCB of 16 A type B	24	
CE mark	CE mark			
Light Technical		Temperature		
Luminous Flux	3,600 lm	Ambient temperature range	-20 to +40 °C	
Correlated Color Temperature (Nom)	4000 K	Controls and Dimming		
Luminous Efficacy (rated) (Nom)	100 lm/W	Dimmable	No	
Color rendering index (CRI)	>80	Control interface	-	
Light source color	840 neutral white	Mechanical and Housing		
Optical cover type	Polystyrene bowl/cover prismatic	Housing Material	Steel	
Operating and Electrical		Optical cover material	Polystyrene	
Input Voltage	220 to 240 V	Housing Color	White RAL 9003	
Line Frequency	50 or 60 Hz	Optical cover finish	Opal	
Power Consumption	35 W	Overall length	595 mm	

GreenPerform Direct LED Panel

Overall width	595 mm
Overall height	57 mm
Dimensions (Height x Width x Depth)	57 x 595 x 595 mm

Approval and Application

Ingress protection code	IP20 [Finger-protected]
Mech. impact protection code	-
Protection class IEC	Safety class II

Initial Performance (IEC Compliant)

Luminous flux tolerance	+/-10%
Power consumption tolerance	+/-10%

Product Data

Order product name	RC099V G2 LED36/840 PSU W60L60 OC
Full product name	RC099V G2 LED36/840 PSU W60L60 OC
Full product code	692382864374499
Order code	911401700823
Material Nr. (12NC)	911401700823
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	6923828643744
Numerator - Packs per outer box	4
EAN/UPC - Case	6923828643744

Dimensional drawing

